

### **Reference v článku:**

- Fialová, J., Roberts, S. C., & Havlíček, J. (2016). Consumption of garlic positively affects hedonic perception of axillary body odour. *Appetite*, 97, 8–15.
- Gelstein, S., Yeshurun, Y., Rozenkrantz, L., Shushan, S., Frumin, I., Roth, Y., & Sobel, N. (2011). Human tears contain a chemosignal. *Science*, 331(6014), 226–230.
- Lenochová, P., Vohnoutová, P., Roberts, S. C., Oberzaucher, E., Grammer, K., & Havlíček, J. (2012). Psychology of fragrance use: perception of individual odor and perfume blends reveals a mechanism for idiosyncratic effects on fragrance choice. *PloS One*, 7(3), e33810.
- Olsson, M. J., Lundström, J. N., Kimball, B. A., Gordon, A. R., Karshikoff, B., Hosseini, N., ... Lekander, M. (2014). The scent of disease: human body odor contains an early chemosensory cue of sickness. *Psychological Science*, 25, 817–23.
- Pinc, L., Bartoš, L., Reslová, A., & Kotrba, R. (2011). Dogs discriminate identical twins. *PloS One*, 6(6), e20704.
- Roberts, S. C., Gosling, L. M., Carter, V., & Petrie, M. (2008). MHC-correlated odour preferences in humans and the use of oral contraceptives. *Proceedings of the Royal Society of London B: Biological Sciences*, 275(1652), 2715–2722.
- Schaal, B., Marlier, L., & Soussignan, R., 2000. Human foetuses learn odours from their pregnant mother's diet. *Chemical Senses*, 25(22), s.729–737.

### **Ostatní reference:**

- Adolph, D., Schlösser, S., Hawighorst, M., Pause, B. M., & Schlosser, S. (2010). Chemosensory signals of competition increase the skin conductance response in humans. *Physiology & Behavior*, 101(5), 666–671.
- Albrecht, J., Demmel, M., Schopf, V., Kleemann, A. M., Kopietz, R., May, J., ... Wiesmann, M. (2011). Smelling chemosensory signals of males in anxious versus nonanxious condition increases state anxiety of female subjects. *Chemical Senses*, 36(1), 19–27.
- Boehm, N., & Gasser, B. (1993). Sensory receptor-like cells in the human foetal vomeronasal organ. *Neuroreport*, 4: 867–870.
- Cernoch, J. M., & Porter, R. H. (1985). Recognition of maternal axillary odors by infants. *Child Development*, 1593–1598.
- Doty, R. L. (2010). The great pheromone myth. The John Hopkins University Press, Baltimore.
- Doty, R. L., Ford, M., Preti, G., & Huggins, G. R. (1975). Changes in the intensity and pleasantness of human vaginal odors during the menstrual cycle. *Science*, 190(4221), 1316–1318.
- Fialová, J., & Havlíček, J. (2012). Perception of emotion-related body odours in humans. *Anthropologie*, 50, 95–110.
- Garner, C. E., Smith, S., Bardhan, P. K., Ratcliffe, N. M., & Probert, C. S. J. (2009). A pilot study of faecal volatile organic compounds in faeces from cholera patients in Bangladesh to determine their utility in disease diagnosis. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 103(11), 1171–3.
- Gower, D. B., Holland, K. T., Mallet, A. I., Rennie, P. J., & Watkins, W. J. (1994). Comparison of 16-androstene steroid concentrations in sterile apocrine sweat and axillary secretions — interconversions of 16-androstenes by the axillary microflora — a mechanism for axillary odor production in man. *Journal of Steroid Biochemistry and Molecular Biology*, 48(4), 409–418.
- Graham, C. A., & McGrew, W. C. (1980). Menstrual synchrony in female undergraduates living on a coeducational campus. *Psychoneuroendocrinology*, 5 (3): 245–252.
- de Groot, J. H. B., Smeets, M. A. M., Kaldewaij, A., Duijndam, M. J. A., & Semin, G. R. (2012). Chemosignals communicate human emotions. *Psychological Science*, 23(11), 1417–24.
- Havlicek, J., Bartos, L., Dvorakova, R., & Flegr, J. (2006). Non-advertised does not mean concealed. Body odour changes across the human menstrual cycle. *Ethology*, 112, 81–90.

- Havlíček, J., Fialová, J., & Roberts, S.C. (2016). Individual variation in body odour. In: Springer Handbook of Odor (Buetner, A. ed). Springer, New York. pp. 943-955.
- Havlicek, J., & Lenochova, P. (2006). The effect of meat consumption on body odor attractiveness. *Chemical Senses*, 31(8), 747–752.
- Havlicek, J., & Lenochova, P. (2008). Environmental effects on human body odour. *Chemical Signals in Vertebrates* 11, 11, 199–210.
- Havlicek, J., Murray, A. K., Saxton, T. K., & Roberts, S. C. (2010). Current issues in the study of androstenes in human chemosignaling. In: *Pheromones, Vitamins & Hormones* 83, (Litwack, G. ed.) Academic Press, London. pp. 47-81.
- Havlíček, J., & Roberts, S. (2009). MHC-correlated mate choice in humans: a review. *Psychoneuroendocrinology*, 34(4), 497–512.
- Havlíček, J. & Roberts, S. C. (2013). Perfume-body odor complex: An insightful model for culture-gene coevolution? In: *Chemical Signals in Vertebrates XII* (East, M. L. & Dehnhard, M. eds). Springer, New York. pp. 185-196.
- Havlíček, J., Roberts, S. C., & Flegr, J. (2005). Women's preference for dominant male odor. Effects of menstrual cycle and relationship status. *Biology Letters*, 1, 256-259.
- Havlíček, J., Saxton, T. K., Roberts, S. C., Jozíková, E., Lhota, S., Valentova, J., & Flegr, J. (2008). He sees, she smells? Male and female reports of sensory reliance in mate choice and non-mate choice contexts. *Personality and Individual Differences*, 45(6), 565–570.
- Hays, W. S. T. (2003). Human pheromones: have they been demonstrated? *Behavioral Ecology and Sociobiology*, 54: 89–97.
- Hepper, P. G. (1988). The discrimination of human odour by the dog. *Perception*, 17(4), 549–554.
- Herz, R. S., & Inzlicht, M. (2002). Sex differences in response to physical and social factors involved in human mate selection: The importance of smell for women. *Evolution and Human Behavior*, 23(5), 359-364.
- Chalmers, R. A., Bain, M. D., Michelakis, H., Zschocke, J., & Illes, R. A. (2006). Diagnosis and management of trimethylaminuria (FMO3 deficiency) in children. *Journal of Inherited Metabolic Disease*, 29(1), 162–172.
- Chen, D., & Haviland-Jones, J. (2000). Human olfactory communication of emotion. *Perceptual and Motor Skills*, 91(3), 771–781.
- Chen, D., Katdare, A., & Lucas, N. (2006). Chemosignals of fear enhance cognitive performance in humans. *Chemical Senses*, 31(5), 415–423.
- Jobu, K., Sun, C., Yoshioka, S., Yokota, J., Onogawa, M., Kawada, C., ... Miyamura, M. (2012). Metabolomics study on the biochemical profiles of odor elements in urine of human with bladder cancer. *The Journal of Urology*, 35(4), 639–642.
- Kaitz, M., Good, A., Rokem, A. M., & Eidelman, A. I. (1987). Mothers' recognition of their newborns by olfactory cues. *Developmental Psychobiology*, 20(6), 587-591.
- Karlson, P & Lüscher, M. (1959). 'Pheromones': a new term for a class of biologically active substances. *Nature*, 183: 55–56.
- Kippenberger, S., Havlíček, J., Bernd, A., Thaçi, D., Kaufmann, R., & Meissner, M. (2012). "Nosing Around" the human skin: what information is concealed in skin odour? *Experimental Dermatology*, 21(9), 655–9.
- Knecht, M., Abolmaali, N. D., Kühnau, D., Köhler, K., Hüttenbrink, K., Hummel, T. (2001). Imaging of the human vomeronasal duct. *Chemical Senses*, 26 (1): 35–39.
- Kuukasjärvi, S., Eriksson, C. P., Koskela, E., Mappes, T., Nissinen, K., & Rantala, M. J. (2004). Attractiveness of women's body odors over the menstrual cycle: the role of oral contraceptives and receiver sex. *Behavioral Ecology*, 15(4), 579-584.
- Laffel, L. (1999). Ketone bodies: a review of physiology, pathophysiology and application of monitoring to diabetes. *Diabetes Metabolism Research and Reviews*, 15(6), 412–426.
- Lefèvre, T., Gouagna, L.-C., Dabiré, K. R., Elguero, E., Fontenille, D., Renaud, F., ... Thomas, F. (2010). Beer consumption increases human attractiveness to malaria mosquitoes. *PloS One*, 5(3), e9546.

- Leyden, J. J., McGinley, K. J., Holzle, E., Labows, J. N., & Kligman, A. M. (1981). The microbiology of the human axilla nad its relationship to axillary odor. *The Journal of Investigative Dermatology*, 77(5), 413–416.
- Liddell, K. (1976). Smell as a diagnostic marker. *Postgraduate Medical Journal*, (March), 136–139.
- Marlier, L., Schaal, B., & Soussignan, R. (1998). Bottle-fed neonates prefer an odor experienced in utero to an odor experienced postnatally in the feeding context. *Developmental Psychobiology*, 33(2), 133–145.
- McClintock, M. (1971). Menstrual synchrony and suppression. *Nature*, 229: 244–245.
- Mennella, J. A., Jagnow, C. P., & Beauchamp, G. K. (2001). Prenatal and postnatal flavor learning by human infants. *Pediatrics*, 107(6), E88.
- Mennella, J. A., Johnson, A., & Beauchamp, G. K. (1995). Garlic ingestion by pregnant women alters the odor of amniotic fluid. *Chemical Senses*, 20(2), 207-209.
- Meredith, M. (2001). Human vomeronasal organ function: a critical review of best and worst cases. *Chemical Senses*, 26: 433–445.
- Milinski, M., & Wedekind, C. (2001). Evidence for MHC-correlated perfume preferences in humans. *Behavioral Ecology*, 12(2), 140–149.
- Mujica-Parodi, L. R., Streij, H. H., Frederick, B., Savoy, R., Cox, D., Botanov, Y., ... Weber, J. (2009). Chemosensory cues to conspecific emotional stress activate amygdala in humans. *Plos One*, 4(7).
- Nishitani, S., Miyamura, T., Tagawa, M., Sumi, M., Takase, R., Doi, H., ... & Shinohara, K. (2009) The calming effect of a maternal breast milk odor on the human newborn infant. *Neuroscience Research*, 63(1): 66-71.
- Pause, B. M. (2004). Are androgen steroid acting as pheromones in humans? *Physiology and Behavior*, 83: 21–29.
- Pause, B. M., Adolph, D., Prehn-Kristensen, A., & Ferstl, R. (2009). Startle response potentiation to chemosensory anxiety signals in socially anxious individuals. *International Journal of Psychophysiology*, 74(2), 88–92.
- Pelchat, M. L., Bykowski, C., Duke, F. F., & Reed, D. R. (2011). Excretion and perception of a characteristic odor in urine after asparagus ingestion: a psychophysical and genetic study. *Chemical Senses*, 36(1), 9–17.
- Penn, D. J., Potts, W. K., (1998). How do major histocompatibility complex genes influence odor and mating preferences? *Advances in Immunology*, 69, 411—436.
- Phillips, M., Cataneo, R. N., Ditkoff, B. A., Fisher, P., Greenberg, J., Gunawardena, R., ... Wong, C. (2006). Prediction of breast cancer using volatile biomarkers in the breath. *Breast Cancer Research and Treatment*, 99(1), 19–21.
- Phillips, M., Gleeson, K., Hughes, J. M., Greenberg, J., Cataneo, R. N., Baker, L., & McVay, W. P. (1999). Volatile organic compounds in breath as markers of lung cancer: a cross-sectional study. *The Lancet*, 353(9168), 1930–3.
- Phillips, M., Sabas, M., & Greenberg, J. (1993). Increased pentane and carbon disulfide in the breath of patients with schizophrenia. *Journal of Clinical Pathology*, 46(9), 861–4.
- Podebrad, F., Heil, M., Reichert, S., Mosandl, A., Sewell, A. C., & Bohles, H. (1999). 4,5-dimethyl-3-hydroxy-2 5H -furanone (sotolone) - The odour of maple syrup urine disease. *Journal of Inherited Metabolic Disease*, 22(2), 107–114.
- Porter, R. H., Cernoch, J. M., & Balogh, R. D. (1985). Odor signatures and kin recognition. *Physiology & Behavior*, 34(3), 445–448.
- Porter, R., & Winberg, J. (1999). Unique salience of maternal breast odors for newborn infants. *Neuroscience & Biobehavioral Reviews*, 23(3), 439-449.
- Prehn, A., Ohrt, A., Sojka, B., Ferstl, R., & Pause, B. M. (2006). Chemosensory anxiety signals augment the startle reflex in humans. *Neuroscience Letters*, 394(2), 127–130.
- Prehn-Kristensen, A., Wiesner, C., Bergmann, T. O., Wolff, S., Jansen, O., Mehdorn, H. M., ... Pause, B. M. (2009). Induction of empathy by the smell of anxiety. *Plos One*, 4(6).
- Roberts, C. S., Havlíček, J., & Petrie, M. (2013). Repeatability of odour preferences across time. *Flavour and Fragrance Journal*, 28(4), 245–250.

- Roberts, S. C., Gosling, L. M., Spector, T. D., Miller, P., Penn, D. J., & Petrie, M. (2005). Body odor similarity in noncohabiting twins. *Chemical Senses*, 30(8), 651–656.
- Schaal, B., Doucet, S., Sagot, P., Hertling, E., & Soussignan, R. (2006). Human breast areolae as scent organs: Morphological data and possible involvement in maternal-neonatal coadaptation. *Developmental Psychobiology*, 48(2), 100-110.
- Schaal, B., Marlier, L. & Soussignan, R., 1995. Responsiveness to the odour of amniotic fluid in the human neonate. *Biology of the Neonate*, 67, 397–406.
- Schaal, B., Marlier, L. & Soussignan, R., 1998. Olfactory function in the human fetus: evidence from selective neonatal responsiveness to the odor of amniotic fluid. *Behavioral Neuroscience*, 112(6), 1438–1449.
- Sorokowska, A. (2013). Seeing or smelling? Assessing personality on the basis of different stimuli. *Personality and Individual Differences*, 55(2), 175–179.
- Sorokowska, A., Sorokowski, P., & Szmajke, A. (2012). Does personality smell? Accuracy of personality assessments based on body odour. *European Journal of Personality*, 26, 496–503.
- Soussignan, R., Schaal, B., Marlier, L., & Jiang, T. (1997). Facial and autonomic responses to biological and artificial olfactory stimuli in human neonates: re-examining early hedonic discrimination of odors. *Physiology & Behavior*, 62(4), 745–58.
- Stern, K., & McClintock, M. K. (1998). Regulation of ovulation by human pheromones. *Nature*, 392: 177–179.
- Suarez, F., Springfield, J., Furne, J., & Levitt, M. (1999). Differentiation of mouth versus gut as site of origin of odoriferous breath gases after garlic ingestion. *The American Journal of Physiology*, 276(2), G425–G430.
- Saxton, T. K., Lyndon, A., Little, A. C., & Roberts, S. C. (2008). Evidence that androstadienone, a putative human chemosignal, modulates women's attributions of men's attractiveness. *Hormones and Behavior*, 54(5), 597-601.
- Thornhill, R., & Gangestad, S. W. (1998). Menstrual cycle variation in women's preferences for the scent of symmetrical men. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 265(1399), 927–933.
- Thornhill, R., & Gangestad, S. W. (1999). The scent of symmetry: a human sex pheromone that signals fitness?. *Evolution and Human Behavior*, 20(3), 175-201.
- Varendi, H., Christensson, K., Porter, R. H., & Winberg, J. (1998). Soothing effect of amniotic fluid smell in newborn infants. *Early Human Development*, 51, 47–55.
- Varendi, H., Porter, R. H., & Winberg, J. (1994). Does the newborn baby find the nipple by smell?. *The Lancet*, 344(8928), 989-990.
- Wedekind, C., & Füri, S. (1997). Body odour preferences in men and women: do they aim for specific MHC or simply heterozygosity? *Proceedings of the Royal Society of London Series B-Biological Sciences*, 264, 1471–1479.
- Wolrath, H., Stahlbom, B., Hallen, A., & Forsum, U. (2005). Trimethylamine and trimethylamine oxide levels in normal women and women with bacterial vaginosis reflect a local metabolism in vaginal secretion as compared to urine. *Apmis*, (4), 513–517.
- Zhou, W., & Chen, D. (2009). Fear-related chemosignals modulate recognition of fear in ambiguous facial expressions. *Psychological Science*, 20(2), 177–83.