

Použitá a doporučená literatura:

- Adams J.R., Leonard A., Waits L.P., 2003: Widespread occurrence of a domestic dog mitochondrial DNA haplotype in southeastern US coyotes. *Mol. Ecol.* 12: 541-546. doi: 10.1046/j.1365-294X.2003.01708.x
- Achilli A., Bonfiglio S., Olivieri A. et al. 2009: The multifaceted origin of taurine cattle reflected by the mitochondrial genome. *PLoS One* 4: e5753. doi: 10.1371/journal.pone.0005753
- Achilli A., Olivieri A., Pellecchia M. et al., 2008: Mitochondrial genomes of extinct aurochs survive in domestic cattle. *Curr. Biol.* 18: R157-R158. doi: 10.1016/j.cub.2008.01.019
- Akis I., Onar V., Toker N. et al., 2016: Ancient DNA analysis of Anatolian goat remains excavated from a Urartian castle in eastern Turkey. *Int. J. Osteoarchaeol.* 26: 246-254. doi: 10.1002/oa.2415
- Allentoft M.E., Sikora M., Sjögren K.G. et al., 2015: Population genomics of Bronze Age Eurasia. *Nature* 522: 167-172. doi:10.1038/nature14507
- Almathen F., Charrua P., Mohandesan E. et al. 2016: Ancient and modern DNA reveals dynamics of domestication and cross-continental dispersal of the dromedary. *Proc. Natl. Acad. Sci USA* 113: 6707-6712. doi: 10.1073/pnas.1519508113
- Andersson L., 2013: Molecular consequences of animal breeding. *Curr. Opin. Genet. Dev.* 23: 295-301. doi: 10.1016/j.gde.2013.02.014
- Ardalan A., Kluetsch C.F.C., Zhang A.B. et al., 2011: Comprehensive study of mtDNA among Southwest Asian dogs contradicts independent domestication of wolf, but implies dog-wolf hybridization. *Ecol. Evol.* 1: 373-385. doi: 10.1002/ece3.35
- Arendt M., Cairns K.M., Ballard J.W.O., Savolainen P., Axelsson E., 2016: Diet adaptation in dog reflects spread of prehistoric agriculture. *Heredity* 117: 301-306. doi: 10.1038/hdy.2016.48
- Aulagnier S., Haffner P., Mitchell-Jones A.J., Moutou F., Zima J., 2009: *Mammals of Europe, North Africa and the Middle East*. A&C Black Publishers, London.
- Axelsson E., Ratnakumar A., Arendt M.-L. et al., 2013: The genomic signature of dog domestication reveals adaptation to a starch-rich diet. *Nature* 495: 360-364. doi: 10.1038/nature11837
- Bai J.L., Jiang J.Y., Yang J., 2014: Taxonomy and phylogenesis of Chinese yak based on the complete sequence of mitochondrial cytochrome b gene in Tianzhu white yak, *Poephagus grunniens*. *Asian J. Anim. Vet. Adv.* 9: 345-354. doi: 10.3923/ajava.2014.345.354
- Bailey J.F., Richards M.B., Macaulay V.A. et al., 1996: Ancient DNA suggests a recent expansion of European cattle from a diverse progenitor species. *Proc. R. Soc. B* 263: 1467-1473. doi: 10.1098/rspb.1996.0214
- Barker J.S., Moore S.S., Hetzel D.J. et al., 1997: Genetic diversity of Asian buffalo (*Bubalus bubalis*): microsatellite variation and a comparison with protein-coding loci. *Anim. Genet.* 28: 103-115. doi: 10.1111/j.1365-2052.1997.00085.x

- Beaumont M., Barratt E.M., Gotelli D. et al., 2001: Genetic diversity and introgression in the Scottish wildcat. *Molecular Ecology* 10: 319-336. doi: 10.1046/j.1365-294X.2001.01196.x
- Belyaev D.K., 1979: Destabilizing selection as a factor in domestication. *J. Hered.* 70: 301-308. doi: 10.1093/oxfordjournals.jhered.a109263
- Beja-Pereira A., Caramelli D., Lalueza-Fox C. et al., 2006: The origin of European cattle: evidence from modern and ancient DNA. *Proc. Natl. Acad. Sci.- USA* 103: 8113-8118. doi: 10.1073/pnas.0509210103
- Beja-Pereira A., England P.R., Ferrand N. et al., 2004: African origins of the domestic donkey. *Science* 304: 1781. doi: 10.1126/science.1096008
- Belyaev D.K., 1979: Destabilizing selection as a factor in domestication. *J. Hered.* 70: 301-308. doi: 10.1093/oxfordjournals.jhered.a109263
- Bollongino R., Burger J., Powell A. et al., 2012: Modern taurine cattle descended from a small number of Near-Eastern founders. *Mol. Biol. Evol.* 29: 2101-2104. doi: 10.1093/molbev/mss092
- Bollongino R., Edwards C.J., Alt K.W., Burger J., Bradley D.G., 2006: Early history of European domestic cattle as revealed by ancient DNA. *Biol. Lett.* 2: 155-159. doi: 10.1098/rsbl.2005.0404
- Bollongino R., Elsner J., Vigne J.-D., Burger J., 2008: Y-SNPs do not indicate hybridisation between European aurochs and domestic cattle. *PLoS One* 3: e3418. doi: 10.1371/journal.pone.0003418
- Bonfiglio S., Achilli A., Olivieri A. et al., 2010: The enigmatic origin of bovine mtDNA haplogroup R: sporadic interbreeding or an independent event of *Bos primigenius* domestication in Italy? *PLoS One* 5: e15760. doi: 10.1371/journal.pone.0015760
- Bosma A.A., De Haan N.A., Macdonald A.A., 1991: The current status of cytogenetics of the Suidae: a review. *Bongo (Berlin)* 18: 258-272.
- Botigué L., Song S., Scheu A. et al., 2017: Ancient European dog genomes reveal continuity since the early Neolithic. *Nature Comm.* 8: 16082. doi: 10.1038/ncomms16082
- Boyko A.R., Boyko R.H., Boyko C.M. et al., 2009: Complex population structure in African village dogs and its implication for inferring dog domestication history. *Proc. Natl. Acad. Sci. USA* 106: 13903-13908. doi: 10.1073/pnas.0902129106
- Bradley D.G., MacHugh D.E., Cunningham P., Loftus R., 1996: Mitochondrial diversity and the origins of African and European cattle. *Proc. Natl. Acad. Sci. USA* 93: 5131-5135. doi: 10.1073/pnas.93.10.5131
- Bradley D.G., MacHugh D.E., Loftus R.T. et al., 1994: Zebu-taurine variation in Y chromosomal DNA: a sensitive assay for genetic introgression in West African trypanotolerant cattle populations. *Anim. Genet.* 25: 7-12. doi: 10.1111/j.1365-2052.1994.tb00048.x
- Branco M., Ferrand N., Monnerot M., 2000: Phylogeography of the European rabbit (*Oryctolagus cuniculus*) in the Iberian Peninsula inferred from RFLP analysis of the cytochrome b gene. *Heredity* 85: 307-317. doi:10.1046/j.1365-2540.2000.00756.x
- Branco M., Ferrand N., Monnerot M., Templeton A.R., 2002: Postglacial dispersal of the European rabbit (*Oryctolagus cuniculus*) on the Iberian Peninsula reconstructed from nested clade and mismatch analyses of mitochondrial DNA genetic variation. *Evolution* 56: 792-803. doi: 10.1046/j.1365-2540.2000.00756.x

Bruford M.W., Bradley D.G., Luikart G., 2003: DNA markers reveal the complexity of livestock domestication. *Nature Rev. Genet.* 4: 900-910. doi: 10.1038/nrg1203

Burger P.A., 2016: The history of Old World camelids in the light of molecular genetics. *Trop. Anim. Health Prod.* 48: 905-913. doi: 10.1007/s11250-016-1032-7

Burger P.A., Palmieri N., 2014: Estimating the population mutation rate from a de novo assembled Bactrian camel genome and cross-species comparison with dromedary ESTs. *J. Hered.* 105: 839-846. doi: 10.1093/jhered/est005

Cañón J. et al. (ECONOGENE Consortium), 2006: Geographical partitioning of goat diversity in Europe and the Middle East. *Anim. Genet.* 37(4): 327-334. doi: 10.1111/j.1365-2052.2006.01461.x

Carneiro M., Afonso S., Geraldes A., et al., 2011: The genetic structure of domestic rabbits. *Mol. Biol. Evol.* 28: 1801-1816. doi: 10.1093/molbev/msr003

Carneiro M., Albert F.W., Afonso S. et al., 2014a. The genomic architecture of population divergence between subspecies of the European rabbit. *PLoS Genet.* 10: e1003519. doi: 10.1371/journal.pgen.1003519

Carneiro M., Rubin C.-J., Di Palma F. et al., 2014b: Rabbit genome analysis reveals a polygenic basis for phenotypic change during domestication. *Science* 345: 1074-1079. doi: 10.1126/science.1253714

Cinar Kul B., Bilgen N., Lenstra J.A. et al., 2013: Y-chromosomal variation of local goat breeds of Turkey close to the domestication centre. *J. Anim. Breeding Genet.* 132: 449-453. doi: 10.1111/jbg.12154

Clutton-Brock J.A., 1999: Natural history of domesticated mammals. Cambridge University Press, Cambridge.

Costa M., Fernandes C., Birks J.D.S. et al., 2013: The genetic legacy of the 19th-century decline of the British polecat: evidence for extensive introgression from feral ferrets. *Mol. Ecol.* 22: 5130-5147. doi: 10.1111/mec.12456

Costa M., Fernandes C., Rodrigues M., Santos-Reis M., Bruford M.W., 2012: A panel of microsatellite markers for genetic studies of European polecats (*Mustela putorius*) and ferrets (*Mustela furo*). *Eur. J. Wildl. Res.* 58: 629-633. doi: 10.1007/s10344-012-0627-1

Crowther M.S., Fillios M., Colman N., Letnic M., 2014: An updated description of the Australian dingo (*Canis dingo* Meyer, 1793). *J. Zool.* 293: 192-203. doi: 10.1111/jzo.12134

Davison A., Birks J.D.S., Griffiths H.I. et al., 1999: Hybridization and the phylogenetic relationship between polecats and domestic ferrets in Britain. *Biol. Conserv.* 87: 155-161. doi: 10.1016/S0006-3207(98)00067-6

Decker J.E., McKay S.D., Rolf M.M. al., 2014: Worldwide pattern of ancestry, divergence, and admixture in domesticated cattle. *PLoS Genet.* 10: e1004254. doi: 10.1371/journal.pgen.1004254

Demirci S., Koban Bastaniar E., Dagtas N.D. et al., 2013: Mitochondrial DNA diversity of modern, ancient and wild sheep (*Ovis gmelini anatolica*) from Turkey: new insights on the evolutionary history of sheep. *PLoS One* 8: e81952. doi: 10.1371/journal.pone.0081952

Druzhkova A.S., Thalmann O., Trifonov V.A. et al., 2013. Ancient DNA analysis affirms the canid from Altai as a primitive dog. *PLoS One*. 8: e57754. doi: 10.1371/journal.pone.0057754

Dunnum J.L., Salazar-Bravo J., 2010: Molecular systematics, taxonomy and biogeography of the genus *Cavia* (Rodentia: Caviidae). *J. Zool. Syst. Evol. Res.* 48(4): 376-388. doi: 10.1111/j.1439-0469.2009.00561.x

Edwards C.J., Bollongino R., Scheu A. et al., 2007: Mitochondrial DNA analysis shows a Near Eastern Neolithic origin for domestic cattle and no indication of domestication of European aurochs.

Proc. R. Soc. B 274: 1377-1385. doi: 10.1098/rspb.2007.0020

Fan Z., Silva P., Gronau I. et al., 2016: Worldwide pattern of genomic variation and admixture in gray wolves. Genome Res. 26: 163-173. doi: 10.1101/gr.197517

Fernández H., Hughes S., Vigne J.-D. et al., 2006: Divergent mtDNA lineages of goats in an Early Neolithic site, far from the initial domestication areas. Proc. Natl. Acad. Sci. USA 103: 15375-15379. doi: 10.1073/pnas.0602753103

Fitak R., Mohandesan E., Corander J., Burger P.A., 2015: The de novo genome assembly and annotation of a female domestic dromedary of North African origin. Mol. Ecol. Res. 16: 314-324. doi: 10.1111/1755-0998.12443

Frantz L.A.. Mullin V.E., Pionnier-Capitan M. et al., 2016: Genomic and archaeological evidence suggest a dual origin of domestic dogs. Science 352: 1228-1231. doi: 10.1126/science.aaf3161

Frantz L.A.F., Schraiber J.G., Madsen O. et al., 2015: Evidence of long-term gene flow and selection during domestication from analyses of Eurasian wild and domestic pig genomes. Nat. Genet. 47: 1141-1148. doi: 10.1038/ng3394

Freedman A.H., Gronau I., Schweizer R.M. et al., 2014: Genome sequencing highlights the dynamic early history of dogs. PLoS Genet. 10: e1004016. doi: 10.1371/journal.pgen.1004016

Freedman A.H., Wayne R.K., 2017: Deciphering the origin of dogs: From fossils to genomes. Annu. Rev. Anim. Biosci. 5: 281-307. doi: 10.1146/annurev-animal-022114-110937

Gaunitz C., Fages A., Hanghøj K. et al., 2018: Ancient genome revisit the ancestry of domestic and Przewalski's horses. Science. doi: 10.1126/science.aaq3297

Gentry A., Clutton-Brock J., Groves C.P., 2004: The naming of wild animal species and their domestic derivates. J. Archeol. Sci. 31: 645-651. doi: 10.1016/j.jas.2003.10.006

Germonpré M., Lázničková-Galelová M., Sablin M.V., 2012: Palaeolithic dog skulls at the Gravettian Předmostí site, the Czech Republic. J. Archaeol. Sci. 39: 184-202. doi: 10.1016/j.jas.2011.09.022

Gibbs R.A., Taylor J.F., Van Tassell C.P. et al., 2009: Genome-wide survey of SNP variation uncovers the genetic structure of cattle breeds. Science 324: 528-532. doi: 10.1126/science.1167936

Goddard M.E., Hayes B.J., 2009: Mapping genes for complex traits in domestic animals and their use in breeding programmes. Nat. Rev. Genet. 10: 381-391. doi: 10.1038/nrg2575

Götherström A., Anderung C., Hellborg I. et al., 2005: Cattle domestication in the Near East was followed by hybridization with aurochs bulls in Europe. Proc. R. Soc. Lond. B 272: 2345-2350. doi: 10.1098/rspb.2005.3243

Goto H., Ryder O.A., Fisher A.R. et al., 2011: A massively parallel sequencing approach uncovers ancient origins and high genetic variability of endangered Przewalski's horses. Genome Biol. Evol. 3: 1096-1106. doi: 10.1093/gbe/evr067

Gou X., Wang Y., Yang S., Deng W., Mao H., 2010: Genetic diversity and origin of gayal and cattle in Yunnan revealed by mtDNA control region and *SRY* gene sequence variation. J. Anim. Breed. Genet. 127: 154-160. doi: 10.1111/j.1439-0388.2009.00807.x

Groenen M.A.M., Archibald A.L., Uenisch H. et al., 2012: Analyses of pig genomes provide insight into porcine demography and evolution. *Nature* 491: 393-398. doi: 10.1038/nature11622

Gu Z., Zhao X., Li N., Wu C., 2007: Complete sequence of the yak (*Bos grunniens*) mitochondrial genome and its evolutionary relationship with other ruminants. *Mol. Phylogenet. Evol.* 42: 248-255. doi: 10.1016/j.ympev.2006.06.021

Guo S., Liu J., Qi D., Yang J., Zhao X., 2006a: Taxonomic placement and origin of yaks: implications from analyses of mtDNA D-loop fragment sequences. *Acta Theriologica Sinica* 26 (4): 325-330.

Guo S., Savolainen P., Su J., 2006b: Origin of mitochondrial DNA diversity of domestic yaks. *BMC Evol. Biol.* 6: 73. doi: 10.1186/1471-2148-6-73

Guolong M., Hong C., Shiping L. et al., 2007: Phylogenetic relationships and status quo of colonies for gayal based on analysis of cytochrome b gene partial sequences. *J. Genet. Genomics* 34: 413-419. doi: 10.1016/S1673-8527(07)60045-9

Haak W., Lazaridis I., Patterson N. et al., 2015: Massive migration from the steppe was a source for Indo-European languages in Europe. *Nature* 522: 207-211. doi: 10.1038/nature14317

Hiendleder S., Kaupe B., Wassmuth R., Janke A., 2002: Molecular analysis of wild and domestic sheep questions current nomenclature and provides evidence for domestication from two different subspecies. *Proc. R. Soc. Lond. B* 269: 893-904. doi: 10.1098/rspb.2002.1975

Hiendleder S., Lewalski H., Wassmuth R., Janke A., 1998a: The complete mitochondrial DNA sequence of the domestic sheep (*Ovis aries*) and comparison with the other major ovine haplotypes.

J. Mol. Evol. 47: 441-448. doi: 10.1007/PL00006401

Hiendleder S., Mainz K., Plante Y., Lewalski H., 1998b: Analysis of mitochondrial DNA indicates that domestic sheep are derived from two different ancestral maternal sources. No evidence for contribution from urial and argali sheep. *J. Hered.* 89: 113-120. doi: 10.1093/jhered/89.2.113

Hofmanová Z., Kreutzer S., Hellenthal G. et al., 2016: Early farmers from across Europe directly descended from Neolithic Aegeans. *Proc. Natl. Acad. Sci. USA* 113: 6886-6891. doi: 10.1073/pnas.1523951113

Chuluumbat B., Charruau P., Silbermayr K., Khorloojav T., Burger P.A., 2014: Genetic diversity and population structure of Mongolian domestic Bactrian camels (*Camelus bactrianus*). *Anim. Genet.* 45: 550-558. doi: 10.1111/age.12158

Iannuzzi L., 2009: Cytogenetics in animal production. *Ital. J. Anim. Sci.* 6: 23-28.

Itan Y., Powell A., Beaumont M.A., Burger J., Thomas M.G., 2009: The origins of lactase persistence in Europe. *PLoS Comput. Biol.* 5: e1000491. doi: 10.1371/journal.pcbi.1000491

Jackson S.M., Groves C.P., Fleming P.S.J. et al., 2017: The wayward dog: is the Australian native dog or dingo a distinct species? *Zootaxa* 4317: 201-224. doi: 10.11646/zootaxa.4317.2.1

Ji R., Cui P., Ding F. et al., 2009: Monophyletic origin of domestic Bactrian camel (*Camelus bactrianus*) and its evolutionary relationship with the extant wild camel (*Camelus bactrianus ferus*). *Anim. Genet.* 40: 377-382. doi: 10.1111/j.1365-2052.2008.01848.x

Jirimutu, Wang Z., Ding G. et al., 2012: Genome sequences of wild and domestic bactrian camels. *Nat. Commun.* 3: 1202. doi: 10.1038/ncomms2192

- Kadwell M., Fernandez M., Stanley H.F. et al., 2001: Genetic analysis reveals the wild ancestors of the llama and the alpaca. Proc. R. Soc. Lond. B 268: 2575-2584. doi: 10.1098/rspb.2001.1774
- Kaelin C.B., Xu X., Hong L.Z. et al., 2012: Specifying and sustaining pigmentation patterns in domestic and wild cats. Science 337: 1536-1541. doi: 10.1126/science.1220893
- Kaya M.A., Bunch T.D., Konuk M., 2004: On Konya wild sheep, *Ovis orientalis anatolica*, in the Bozdag protected area. Mammalia 68: 229-232. doi: 10.1515/mamm.2004.022
- Kierstein G., Vallinoto M., Silva A. et al., 2004: Analysis of mitochondrial D-loop region casts new light on domestic water buffalo (*Bubalus bubalis*) phylogeny. Mol. Phylogenet. Evol. 30: 308-324. doi: 10.1016/S1055-7903(03)00221-5
- Kimura B., Marshall F.B., Chen S. et al., 2011: Ancient DNA from Nubian and Somali wild ass provides insights into donkey ancestry and domestication. Proc. R. Soc. Lond. B 278: 50-57. doi: 10.1098/rspb.2010.0708
- Kinne J., Wani N.A., Wernery U., Peters J., Knospe C., 2010: Is there a two-humped stage in the embryonic development of the dromedary? Anat. Histol. Embryol. 39: 479-480. doi: 10.1111/j.1439-0264.2010.01011.x
- Koler-Matznick J., Yates B.C., Bulmer S., Brisbin I.L., 2007: The New Guinea singing dog: its status and scientific importance. Austral. Mammal. 29: 47-56. doi: 10.1071/AM07005
- Kumar S., Nagarajan M., Sandhu J.S., Kumar N., Behl V., 2007a: Phylogeography and domestication of Indian water buffalo. BMC Evol. Biol. 7: 186-193. doi: 10.1186/1471-2148-7-186
- Kumar S., Nagarajan M., Sandhu J.S. et al., 2007b: Mitochondrial DNA analyses of Indian water buffalo support a distinct genetic origin of river and swamp buffalo. Anim. Genet. 38: 227-232. doi: 10.1111/j.1365-2052.2007.01602.x
- Kurose N., Abramov A.V., Masuda R., 2000: Intrageneric diversity of the cytochrome *b* gene and phylogeny of Eurasian species of the genus *Mustela* (Mustelidae, Carnivora). Zool. Sci. 17: 673-679. doi: 10.2108/zsj.17.673
- Larson G., Albarella U., Dobney K. et al., 2007a: Ancient DNA, pig domestication, and the spread of the Neolithic into Europe. Proc. Natl. Acad. Sci. USA 104: 15276-15281. doi: 10.1073/pnas.0703411104
- Larson G., Burger J., 2013: A population genetics view of animal domestication- Trends Genet. 29(4): 197-2005. doi: 10.1016/j.tig.2013.01.003
- Larson G., Cucchi T., Fujita M. et al. 2007b: Phylogeny and ancient DNA of *Sus* provides insights into neolithic expansion in island southeast Asia and Oceania. Proc. Natl. Acad. Sci. USA 104: 4834-4839. doi: 10.1073/pnas.0607753104
- Larson G., Fuller D.Q., 2014: The evolution of animal domestication. Annu. Rev. Ecol. Evol. Syst. 45: 115-136. doi: 10.1146/annurev-ecolsys-110512-135813
- Larson G., Karlsson E.K., Perri A. et al., 2012: Rethinking dog domestication by integrating genetics, archeology, and biogeography. Proc. Natl. Acad. Sci. USA 109: 8878-8883. doi: 10.1073/pnas.1203005109
- Larson G., Liu R., Zhao X. et al., 2010: Patterns of East Asian pig domestication, migration, and turnover revealed by modern and ancient DNA. Proc. Natl. Acad. Sci. USA 107: 7686-7691. doi: 10.1073/pnas.0912264107

- Lau A.N., Peng L., Goto H. et al., 2009: Horse domestication and conservation genetics of Przewalski's horse inferred from sex chromosomal and autosomal sequences. *Mol. Biol. Evol.* 26: 199-208. doi: 10.1093/molbev/msn239
- Lei C.Z., Zhang W., Chen H. et al., 2007: Independent maternal origin of Chinese swamp buffalo (*Bubalus bubalis*). *Anim. Genet.* 38: 97-102. doi: 10.1111/j.1365-2052.2007.01567.x
- Li S.P., Chang H., Ma G.L. et al., 2008: Molecular phylogeny of the gayal inferred from the analysis of cytochrome *b* gene entire sequences. *Hereditas (Beijing)* 30: 65-70.
- Librado P., Der Sarkissian C., Ermini L. et al., 2015: Tracking the origins of Yakutian horses and the genetic basis for their fast adaptation to subarctic environments. *Proc. Natl. Acad. Sci. USA* 112: E6889-97. doi: 10.1073/pnas.1513696112
- Librado P., Fages A., Gaunitz C. et al., 2016: The evolutionary origin and genetic makeup of domestic horses. *Genetics* 204: 423-434. doi: 10.1534/genetics.116.194860
- Librado P., Gamba C., Gaunitz C. et al., 2017: Ancient genomic changes associated with domestication of the horse. *Science* 356: 442-445. doi: 10.1126/science.aam5298
- Lindgren G., Backstrom N., Swinburne J. et al., 2004: Limited number of patrilines in horse domestication. *Nat. Genet.* 36: 335-336. doi: 10.1038/ng1326
- Loftus R.T., MacHugh D.E., Bradley D.G., Sharp P.M., Cunningham P., 1994: Evidence for two independent domestications of cattle. *Proc. Natl. Acad. Sci. USA* 91: 2757-2761. doi: 10.1073/pnas.91.7.2757
- Luikart G., Gielly L., Excoffier L. et al., 2001: Multiple maternal origins and weak phylogeographic structure in domestic goats. *Proc. Natl. Acad. Sci. USA* 98: 5927-5932. doi: 10.1073/pnas.091591198
- Lv F.-H., Peng W.-F., Yang J. et al., 2015: Mitogenomic meta-analysis identifies two phases of migration in the history of Eastern Eurasian sheep. *Mol. Biol. Evol.* 32: 2515-2533. doi: 10.1093/mol-bev/msv139
- MacHugh D.E., Shriver M.D., Loftus R.T., Cunningham P., Bradley D.G., 1997: Microsatellite DNA variation and the evolution, domestication and phylogeography of taurine and zebu cattle (*Bos taurus* and *Bos indicus*). *Genetics* 146: 1071-1086.
- Marín J.C., Romero K., Rivera R., Johnson W.E., González B.A., 2017: Y-chromosome and mtDNA variation conforms independent domestications and directional hybridization in South American camelids. *Anim. Genet.* 48: 591-595. doi: 10.1111/age.12570
- Masuda R., Lopez J.V., Slattery J.P., Yuhki N., O'Brien S.J., 1996: Molecular phylogeny of mitochondrial cytochrome *b* and 12S rRNA sequences in the Felidae: ocelot and domestic cat lineages. *Mol. Phylogenetic Evol.* 6: 351-365. doi: 10.1006/mpev.1996.0085
- McCue M.E., Bannash D.L., Petersen J.L. et al., 2012: A high density SNP array for the domestic horse and extant Perissodactyla: Utility for association mapping, genetic diversity, and phylogeny studies. *PLoS Gene* 8: e1002451. doi: 10.1371/journal.pgen.1002451
- Meadows J.R.S., Cemal I., Karaca O., Gootwine E., Kijas J.W., 2007: Five ovine mitochondrial lineages identified from sheep breeds of the Near East. *Genetics* 175: 1371-1379. doi: 10.1534/genetics.106.068353
- Meadows J.R.S., Hiendleder S., Kijas J.W., 2011: Haplotype relationships between domestic and wild sheep resolved using a mitogenome panel. *Heredity* 106: 700-706. doi: 10.1038/hdy.2010.122

Mohamad K., Olsson M., van Tol T.H. et al., 2009: On the origin of Indonesian cattle. PLoS One 4: e5490. doi: 10.1371/journal.pone.0005490

Monnerot M, Vigne J-D, Biju-Duval C, Casane D, Callou C, Hardy C, et al., 1994: Rabbit and man: genetic and historical approach. Génét Sel Evol. 26 (suppl 1): 167s-182s.

Naderi S., Rezaei H.-R., Taberlet P. et al., 2007: Large-scale mitochondrial DNA analysis of the domestic goat reveals six haplogroups with high diversity. PLoS One 2: e1012. doi: 10.1371/journal.pone.0001012

Naderi S., Rezaei H.-R., Pompanon F. et al., 2008: The goat domestication process inferred from large-scale mitochondrial analysis of wild and domestic individuals. Proc. Natl. Acad. Sci. USA 105: 17659-17664. doi: 10.1073/pnas.0804782105

Nadler C.F., Korobitsyna K.V., Hoffmann R.S., Vorontsov N.N., 1973: Cytogenetic differentiation, geographic distribution and domestication of Palaearctic sheep (*Ovis*). Z. Säugetierk. 38: 109-125.

Niemi M., Bläuer A., Iso-Touru T. et al., 2013: Mitochondrial DNA and Y-chromosomal diversity in ancient populations of domestic sheep (*Ovis aries*) in Finland: comparison with contemporary sheep breeds. Génét. Sel. Evol. 45: 2. doi: 10.1186/1297-9686-45-2

Nijman I.J., Otzen M., Verkaar E.L. et al., 2003: Hybridization of banteng (*Bos javanicus*) and zebu (*Bos indicus*) revealed by mitochondrial DNA, satellite DNA, AFLP and microsatellites. Heredity 90: 10-16. doi: 10.1038/sj.hdy.6800174

Orlando L., Gilbert M.T.P., Willersley E., 2015: Reconstructing ancient genomes and epigenomes. Nat. Rev. Genet. 16: 395-408. doi: 10.1038/nrg3935

Orlando L., Ginolhac A., Zhang G. et al., 2013: Recalibrating *Equus* evolution using the genome sequence of an Early Middle Pleistocene horse. Nature 499: 74-78. doi: 10.1038/nature12323

Orlando L., Metcalf J.L., Alberdi M.T. et al., 2009: Revising the recent evolutionary history of equids using ancient DNA. Proc. Natl. Acad. Sci. USA 106: 21754-21759. doi: 10.1073/pnas.0903672106

Oskarsson M.C.R., Klütsch C.F.C., Boonyaprakob U. et al., 2012: Mitochondrial DNA data indicate an introduction through mainland Southeast Asia for Australian dingoes and Polynesian domestic dogs. Proc. R. Soc. Lond. B 279: 967-974. doi: 10.1098/rspb.2011.1395

Ottoni C., Flink L.G., Evin A. et al., 2013: Pig domestication and human-mediated dispersal in western Eurasia revealed through ancient DNA and geometric morphometrics. Mol. Biol. Evol. 30: 824-832. doi: 10.1093/molbev/mss261

Pang J.F., Kluetsch C., Zou X.J. et al., 2009: mtDNA data indicate a single origin for dogs south of Yangtze River, less than 16,300 years ago, from numerous wolves. Mol. Biol. Evol. 26: 2849-2864. doi: 10.1093/molbev/msp195

Park S.D., Magee D.A., McGgettigan P.A. et al., 2015: Genome sequencing of the extinct Eurasian wild aurochs, *Bos primigenius*, illuminates the phylogeography and evolution of cattle. Genome Biol. 16: 234. doi: 10.1186/s13059-015-0790-2

Parker H.G., Kim L.V., Sutter N.B. et al., 2004: Genetic structure of the purebred domestic dog. Science 304: 1160-1164. doi: 10.1126/science.1097406

- Pérez-Pardal L., Grizeli J., Traoré A. et al., 2014: Lack of mitochondrial DNA structure in Balkan donkey is consistent with a quick spread of the species after domestication. *Anim. Genet.* 45: 144-147. doi: 10.1111/age.12086
- Pérez-Pardal L., Royo L.J., Beja-Pereira A. et al., 2010: Multiple paternal origins of domestic cattle revealed by Y-specific interspersed multilocus microsatellites. *Heredity* 105: 511-519. doi:10.1038/hdy.2010.30
- Perri A., 2016: A wolf in dog's clothing: Initial dog domestication and Pleistocene wolf variation. *J. Archaeol. Sci.* 68: 1-4. doi: 10.1016/j.jas.2016.02.003
- Peters J., von den Driesch A., 1997: The two-humped camel (*Camelus bactrianus*): new light on its distribution, management and medical treatment in the past. *J. Zool.* 242: 651-679. doi: 10.1111/j.1469-7998.1997.tb05819.x
- Pidancier N., Jordan S., Luikart G., Taberlet P., 2006: Evolutionary history of the genus *Capra* (Mammalia, Artiodactyla): Discordance between mitochondrial DNA and Y-chromosome phylogenies. *Mol. Phylogenet. Evol.* 40: 739-749. doi: 10.1016/j.ympev.2006.04.002
- Pierpaoli M., Biro Z.S., Herrmann M. et al., 2003: Genetic distinction of wildcat (*Felis silvestris*) populations in Europe, and hybridization with domestic cats in Hungary. *Mol. Ecol.* 12: 2585-2598. doi: 10.1046/j.1365-294X.2003.01939.x
- Pilot M., Branicki W., Jedrzejewski W. et al., 2010: Phylogeographic history of grey wolves in Europe. *BMC Evol. Biol.* 10: 104. doi: 10.1186/1471-2148-10-104
- Pilot M., Greco C., Jedrzejewska B. et al., 2014: Genome-wide signatures of population bottlenecks and diversifying selection in European wolves. *Heredity* 112: 428-442. doi: 10.1038/hdy.2013.122
- Pinhasi R., Thomas M.G., Hofreiter M., Currat M., Burger J., 2012: The genetic history of Europeans. *Trends Genet.* 28: 496-505. doi: 10.1016/j.tig.2012.06.006
- Qiang Q., Zhang G., Ma T. et al., 2012: The yak genome and adaptation to life at high altitude. *Nat. Genet.* 44: 946-949. doi: 10.1038/ng.234
- Ramírez O., Burgos-Paz W., Casas E. et al., 2015: Genome data from a sixteen century pig illuminate modern breed relationships. *Heredity* 114: 175-184. doi: 10.1038/hdy.2014.81
- Randi E., Pierpaoli M., Beaumont M., Ragni B., Sforzi A., 2001: Genetic identification of wild and domestic cats (*Felis silvestris*), and their hybrids using Bayesian clustering methods. *Mol. Biol. Evol.* 18: 1679-1693. doi: 10.1093/oxfordjournals.molbev.a003956
- Randi E., Ragni B., 1991: Genetic variability and biochemical systematics of domestic and wild cat populations (*Felis silvestris*: Felidae). *J. Mammal.* 72: 79-88. doi: 10.2307/1381981
- Rezaei H.R., Naderi S., Chintauan-Marquier I.C. et al., 2010: Evolution and taxonomy of the wild species of the genus *Ovis* (Mammalia, Ariodactyla, Bovidae). *Mol. Phylogenet. Evol.* 54: 315-326. doi: 10.1016/j.ympev.2009.10.037
- Rosenbom S., Costa V., Al-Araimi N. et al., 2014: Genetic diversity of donkey populations from the putative centers of domestication. *Anim. Genet.* 46: 30-36. doi: 1E0.1111/age.12256
- Ruiz E., Mohandesan E., Fitak R.R., Burger P.A., 2015: Diagnostic single nucleotide polymorphism markers to identify hybridization between dromedary and Bactrian camels. *Conserv. Genet. Res.* 7: 329-332. doi: 10.1007/s12686-015-0420-z

- Sacks B.N., Brown S.K., Stephens D. et al., 2013: Y chromosome analysis of dingoes and Southeast Asian village dogs suggests a Neolithic continental expansion from Southeast Asia followed by multiple Austronesian dispersals. *Mol. Biol. Evol.* 30: 1103-1118. doi:10.1093/molbev/mst027
- Sato J.J., Hosoda T., Wolsan M. et al., 2003: Phylogenetic relationships and divergence times among mustelids (Mammalia: Carnivora) based on nucleotide sequences of the Nuclear Interphotoreceptor Retinoid Binding Protein and mitochondrial cytochrome b genes. *Zool. Sci.* 20: 243-264. doi: 10.2108/zsj.20.243
- Savolainen P., Leitner T., Wilton A.N., Matisoo-Smith E., Lundeberg J., 2004: A detailed picture of the origin of the Australian dingo, obtained from the study of mitochondrial DNA. *Proc. Natl. Acad. Sci. USA* 101: 12387-12390. doi: 10.1073/pnas.0401814101
- Savolainen P., Zhang Y.P., Luo J. et al., 2002: Genetic evidence for an East Asian origin of domestic dogs. *Science* 298: 1610-1613. doi: 10.1126/science.1073906
- Shannon L.M., Boyko R.H. Castelhano M. et al. 2015: Genetic structure in village dogs reveals a Central Asian domestication origin. *Proc. Natl. Acad. Sci. USA* 112: 13639-44. doi: 10.1073/pnas.1516215112
- Scheu A., 2017: Neolithic animal domestication as seen from ancient DNA. *Quatern. Int.*, in press. doi: 10.1016/j.quatint.2017.02.009
- Scheu A., Hartz S., Schmölke U. et al., 2008: Ancient DNA provides no evidence for independent domestication of cattle in Mesolithic Rosenhof, Northern Germany. *J. Archaeol. Sci.* 35: 1257-1264. doi: 10.1016/j.jas.2007.08.012
- Scheu A., Powell A., Bollongino R. et al., 2015: The genetic prehistory of domesticated cattle from their origin to the spread across Europe. *BMC Genet.* 16: 54. doi: 10.1186/s12863-015-0203-2
- Schibler J., Elsner J., Schlumbaum A., 2014: Incorporating aurochs into cattle herd in Neolithic Europe: single event or breeding? *Sci. Rep.* 4: 5798. doi: 10.1038/srep05798
- Schlumbaum A., Campos P.F., Volken S. et al., 2010: Ancient DNA, a Neolithic legging from the Swiss Alps and the early history of goat. *J. Archaeol. Sci.* 37: 1247-1251. doi: 10.1016/j.jas.2009.12.025
- Schubert M., Jónson H., Chang D. et al., 2014: Prehistoric genomes reveal the genetic foundation and cost of horse domestication. *Proc. Natl. Acad. Sci. USA* 111: E5661-E5669. doi: 10.1073/pnas.1416991111
- Silbermayr K., Orozco-terWengel P., Charruau P. et al., 2010a: High mitochondrial differentiation levels between wild and domestic Bactrian camels: a basis for rapid detection of maternal hybridization. *Anim. Genet.* 41: 315-318. doi: 10.1111/j.1365-2052.2009.01993.x
- Skoglund P., Ersmark E., Palkopoulou E., Dalén L., 2015: Ancient wolf genome reveals an early divergence of domestic dog ancestors and admixture into high-latitude breeds. *Curr. Biol.* 25: 1515-1519. doi: 10.1016/j.cub.2015.04.019
- Spotorno A.E., Marín J.C., Manríquez G. et al., 2006: Ancient and modern steps during the domestication of guinea pig (*Cavia porcellus* L.). *J. Zool.* 270: 57-62. doi: 10.1111/j.1469-7998.2006.00117.x
- Stanley H.F., Kadwell M., Wheeler J.C., 1994: Molecular evolution of the family Camelidae: a mitochondrial DNA study. *Proc. Biol. Sci.* 22: 1-6. doi: 10.1098/rspb.1994.0041

- Stock F., Edwards C.J., Bollongino R. et al., 2009: Cytochrome *b* sequences of ancient cattle and wild ox support phylogenetic complexity in the ancient and modern bovine populations. *Anim. Genet.* 40: 694-700. doi: 10.1111/j.1365-2052.2009.01905.x
- Taberlet P., Coissac E., Pansu J., Pompanon F., 2011: Conservation genetics of cattle, sheep, and goats. *C. R. Biologies* 334: 247-254. doi: 10.1016/j.crvi.2010.12.007
- Tanaka K., Takizawa T., Murakoshi H. et al., 2011: Molecular phylogeny and diversity of Myanmar and Bhutan mithun based on mtDNA sequences. *Anim. Sci. J.* 82: 52-56. doi: 10.1111/j.1740-0929.2010.00819.x
- Tapio M., Marzanov N., Ozerov M. et al., 2006: Sheep mitochondrial DNA variation in European, Caucasian, and Central Asian areas. *Mol. Biol. Evol.* 23: 1776-1783. doi: 10.1093/molbev/ms1043
- Thalmann O., Shapiro B., Cui P. et al., 2013: Complete mitochondrial genomes of ancient canids suggest a European origin of domestic dogs. *Science* 342: 871-874. doi: 10.1126/science.1243650
- Troy C.S., MacHugh D.E., Bailey J.F. et al., 2001: Genetic evidence for Near-Eastern origins of European cattle. *Nature* 410: 1088-1091. doi: 10.1038/35074088
- Trut L., Oskina I., Kharlamova A., 2009: Animal evolution during domestication: the domesticated fox as a model. *Bioessays* 31: 349-360. doi: 10.1002/bies.200800070
- Valdez R., Nadler C.F., Bunch T.D., 1978: Evolution of wild sheep in Iran. *Evolution* 32: 56-72. doi: 10.2307/2407410
- Vigne J.-D., 1992: Zooarchaeology and the biogeographical history of the mammals of Corsica and Sardinia since the last ice age. *Mammal Review* 22: 87-96. doi: 10.1111/j.1365-2907.1992.tb00124.x
- Vigne J.-D., 1999: The large 'true' Mediterranean islands as a model for the Holocene human impact on the European vertebrate fauna? Recent data and new reflections. Pp. 295-322 in N. Benecke (ed.) *The Holocene history of the European vertebrate fauna. Modern aspects of research*. Verlag Marie Leidorf Verlag, Rahden/Westf.
- Vigne J.-D., 2011: The origins of animal domestication and husbandry: a major change in the history of humanity and the biosphere. *C. R. Biol.* 334: 171-181. doi: 10.1016/j.crvi.2010.12.009
- Vigne J.-D., 2015: Early domestication and farming: what should we know or do for a better understanding? *Anthropozoologica* 50: 123-150. doi: 10.5252/az2015n2a5
- vonHoldt B.M., Pollinger J.P., Lohmueller K.E., et al., 2010: Genome-wide SNP and haplotype analyses reveal a rich history underlying dog domestication. *Nature* 464: 898-902. doi: 10.1038/nature08837
- Wade C.M., Giulotto E., Sigurdsson S. et al., 2009: Genome sequence, comparative analysis, and population genetics of the domestic horse. *Science* 326: 865-7. doi: 10.1126/science.1178158
- Wallner B., Brem G., Müller M., Achgmann R., 2003: Fixed nucleotide differences on the Y chromosome indicate clear divergence between *Equus przewalskii* and *Equus caballus*. *Anim. Genet.* 34: 453-456. doi: 10.1046/j.0268-9146.2003.01044.x
- Wang G.-D., Zhai W., Yang H.C. et al., 2016: Out of southern East Asia: the natural history of domestic dogs across the world. *Cell Res.* 26: 21-33. doi: 10.1038/cr.2015.147

- Wang Z., Yonezawa T., Liu B. et al., 2010: Domestication relaxed selective constraints on the yak mitochondrial genome. *Mol. Evol.* 28: 1553-1556. doi: 10.1093/molbev/msq336
- Warmuth V., Eriksson A., Bower M.A. et al., 2012: Reconstructing the origin and spread of horse domestication in the Eurasian steppe. *Proc. Natl. Acad. Sci. USA* 109: 8202-8206. doi: 10.1073/pnas.1111122109
- Weinstock J., Shapiro B., Prieto A., Marín J.C., González B.A., Gilbert M.T.P., Willerslev E., 2009: The Late Pleistocene distribution of vicuñas (*Vicugna vicugna*) and the „extinction“ of the gracile llama („*Lama gracilis*“): New molecular data. *Quatern. Sci. Rev.* 28: 1369-1373. doi: 10.1016/j.quascirev.2009.03.008
- Wilkins A.S., Wrangham R.W., Fitch W.T., 2014: The „Domestication Syndrome“ in mammals: A unified explanation based on neural crest cell behavior and genetics. *Genetics* 197: 795-808. doi: 10.1534/genetics.114.165423
- Wu H., Guang X., Al-Fageeh M.B. et al., 2014: Camelid genomes reveal evolution and adaptation to desert environments. *Nat. Commun.* 5: 5188. doi: 10.1038/ncomms6188
- Yang D.Y., Liu L., Chen X., Speller C.F., 2008: Wild or domesticated: DNA analysis of ancient water buffalo remains from north China. *J. Archaeol. Sci.* 35: 2778-2785. doi: 10.1016/j.jas.2008.05.010
- Yindee M., Vlamings B.H., Wajjwalku W. et al., 2010: Y-chromosomal variation confirms independent domestications of swamp and rived buffalo. *Anim. Genet.* 41: 433-435. doi: 10.1111/j.1365-2052.2010.02020.x
- Yue X.-P., Li R., Xie W.M. et al., 2013: Phylogeography and domestication of Chinese swamp buffalo. *PLoS One* 8(4): e56552. doi: 10.1371/journal.pone.0056552
- Zeder M.A., 2008: Domestication and early agriculture in the Mediterranean Basin: origins, diffusion, and impact. *Proc. Natl. Acad. Sci. USA* 105: 11597-11604. doi: 10.1073/pnas.0801317105
- Zeder M.A., 2012: The domestication of animals. *J. Anthropol. Res.* 68: 161-190. doi: 10.3998/jar.0521004.0068.201
- Zeder M.A., 2015: Core questions in domestication research. *Proc. Natl. Acad. Sci. USA* 112: 3191-3198. doi: 10.1073/pnas.1501711112
- Zeder M.A., Emshwiller E., Smith B.D., Bradley D.G., 2006: Documenting domestication: the intersection of genetics and archaeology. *Trends Genet.* 22: 139-155. doi: 10.1016/j.tig.2006.01.007
- Zeder M.A., Hesse B., 2000: The initial domestication of goats (*Capra hircus*) in the Zagros mountains 10.000 years ago. *Science* 287: 2254-2257. doi: 10.1126/science.287.5461.2254
- Zhang Y., Sun D., Yu Y., Zhang Y., 2007: Genetic diversity and differentiation of Chinese domestic buffalo based on 30 microsatellite markers. *Anim. Genet.* 38: 569-575. doi: 10.1111/j.1365-2052.2007.01648.x
- Zima J., Král B., 1984: Karyotypes of European mammals I., II., III. *Acta Sc. Nat. Brno* 18(7-9): 1-51, 1-62, 1-51.