

## Zukal J.: Netopýři – malí velcí migranti

(Živa 2024, 5: 294–296)

### Citovaná literatura

Bisson, I.A., Safi, K., Holland, R.A., 2009. Evidence for Repeated Independent Evolution of Migration in the Largest Family of Bats. PLoS ONE, 4(10): e7504.

Cryan, P.M., Diehl, R.H., 2009. Amazing bat migration. In: Kunz, T.H., Parsons, S. (Eds.), Ecological and Behavioral Methods for the Study of Bats. The Johns Hopkins University Press, Baltimore, pp. 477–488.

Dechmann, D.K.N., Wikelski, M., Ellis-Soto, D., Safi, K., Teague O'Mara, M., 2017. Determinants of spring migration departure decision in a bat. Biology Letters, 13(20170395): 1–5.

Dingle, H., 2014. Migration: The Biology of Life on the Move. USA: Oxford University Press.

Fleming, T.H., Eby, P., 2003. Ecology of Bat Migration. In Kunz, T.H., Fenton, M.B. (Eds.), Bat ecology. University of Chicago Press, Chicago, pp. 156–208.

Fleming, T.H., Nassar, J., 2002. Population biology of the lesser long-nosed bat, *Leptonycteris curasoae*, in Mexico and northern South America. In: Fleming, T.H., Valiente-Banuet, A. (Eds.), Columnar Cacti and their Mutualists: Evolution, Ecology, and Conservation. University of Arizona Press, Tucson, pp. 283–305.

Furmankiewicz, J., Kucharska, M., 2009. Migration of bats along a large river valley in southwestern Poland. Journal of Mammalogy, 90(6): 1310–1317.

Gaisler, J., Hanák, V., Hanzal, V., Jarský, V., 2003. Výsledky kroužkování netopýřů v České republice a na Slovensku, 1948-2000. Vespertilio, 7: 3–61.

Giavi, S., Moretti, M., Bontadina, F., Zambelli, N., Schaub, M., 2014. Seasonal survival probabilities suggest low migration mortality in migrating bats. PLoS ONE, 9(1): e85628.

Greif, S., Borissov, I., Yovel, Y., Holland, R.A., 2014. A functional role of the sky's polarization pattern for orientation in the greater mouse-eared bat. Nature Communications, 5: 4488.

- Hedenström, A., 2009. Optimal migration strategies in bats. *Journal of Mammalogy*, 90(6): 1298–1309.
- Herlekar, I., 2015. Bats on a budget: Use of torpor by bats to conserve energy during migration. *Current Science*, 108: 1034.
- Holland, R.A., Kirschvink, J.L., Doak, T.G., Wikelski, M. 2008. Bats use magnetite to detect the Earth's magnetic field. *PLoS ONE*, 3(2): e1676.
- Hüppop, O., Hill, R., 2016. Migration phenology and behaviour of bats at a research platform in the south-eastern North Sea. *Lutra*, 59(1–2): 5–22.
- Hutterer, R., Ivanova, T., Meyer-Cords, C., Rodrigues, L., 2005. Bat migrations in Europe: a review of banding data and literature. *Naturschutz und Biologische Vielfalt*, 28: 1–176.
- Jahelkova, H., Horáček, I., 2011. Mating System of a Migratory Bat, *Nathusius' Pipistrelle (Pipistrellus Nathusii)*: Different Male Strategies. *Acta Chiropterologica*, 13: 123–137.
- Jarzebowski, T., 2003. Migration of the *Nathusius' pipistrelle Pipistrellus nathusii* (Vespertilionidae) along the Vistula Split. *Acta Theriol*, 48(3): 301–308.
- Lindecke, O., Elksne, A., Holland, R.A., Petersons, G., Voigt, C.C., 2019. Experienced Migratory Bats Integrate the Sun's Position at Dusk for Navigation at Night. *Current Biology*, 29: 1369–1373
- Lučan, R. K., & Bartonička, T. (2024). Diurnal activity in an insectivorous bat during migration period. *Journal of Mammalogy*, 105(3), 643-651.
- Lučan, R. K., Lučanová, A., Vavřík, M. (2019). Červenohorské sedlo: historie a současnost sledování (nejen) ptačí migrace na našich horách. *Ochrana přírody* 4/2019, 29-33.
- McCracken, G.F., Gassel, M.F., 1997. Genetic structure in migratory and nonmigratory populations of Brazilian free-tailed bats. *Journal of Mammalogy*, 78: 348–357.
- McGuire, L.P., Jonasson, K.A., Guglielmo, C.G., 2014. Bats on a budget: torpor-assisted migration saves time and energy. *PLoS ONE*, 9: e115724.

- Muijres, F.T., Johansson, L.C., Bowlin, M.S., Winter, Y., Hedenström, A., 2012. Comparing aerodynamic efficiency in birds and bats suggests better flight performance in birds. *PLoS ONE*, 7: e37335.
- Norberg, U.M., Rayner, J.M.V., 1987. Ecological morphology and flight in bats (Mammalia; Chiroptera): Wing adaptations, flight performance, foraging strategy, and echolocation. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences*, 316: 335–427.
- Pettit, J.L., O’Keefe, J.M., 2017. Day of year, temperature, wind, and precipitation predict timing of bat migration. *Journal of Mammalogy*, 98(5): 1236–1248.
- Russell, A.L., Medellín, R.A., McCracken, G.F., 2005. Genetic variation and migration in the Mexican free-tailed bat (*Tadarida brasiliensis mexicana*). *Mol. Ecol.*, 14: 2207–2222.
- Rydell, J., Bach, L., Bach, P., Diaz, L.G., Furmankiewicz, J., Hagner-Wahlsten, N., Kyheröinen, E.M., Lilley, T., Masing, M., Meyer, M.M., Petersons, G., Šuba, J., Vasko, V., Vintulis, V., Hedenström, A., 2014. Phenology of migratory bat activity across the Baltic Sea and the south-eastern North Sea. *Acta Chiropterologica*, 16: 139–147.
- Strelkov, P.P., 1969. Migratory and stationary bats (Chiroptera) of the European part of the Soviet Union. *Acta Zoologica Cracoviensia*, 14: 393–440.
- Voigt, C.C., Sorgel, K., Šuba, J., Keiss, O., Petersons, G., 2012. The insectivorous bat *Pipistrellus nathusii* uses a mixed-fuel strategy to power autumn migration. *Proc R Soc Lond B*, 279: 3772–3778.
- Wieringa, J.G., Carstens, B.C., Gibbs, H.L., 2021. Predicting migration routes for three species of migratory bats using species distribution models. *PeerJ*, 9: e11177.
- Zukalova, K., Seidlova, V., Piacek, V., Nemcova, M., Pribyl, M., Pikula, J., Zukal, J., 2022. One or two pups – optimal reproduction strategies of common noctule females. *BMC Zoology*, 7: 18.