

Použitá a doporučená literatura:

- Azadi, M. A., et al., 1995. Reproductive biology of *Notopterus notopterus* (Pallas) in Kaptai Reservoir, Bangladesh. *Bangladesh Journal of Zoology*, 23(2): 215–220.
- Barby, F., et al., 2018. From chromosomes to genome: insights into the evolutionary relationships and biogeography of Old World knifefishes (Notopteridae, Osteoglossiformes). *Genes* 2018, 9, 306; doi: 10.3390/genes9060306
- Fowler, H. W., 1934. Descriptions of new fishes obtained 1907 to 1910, chiefly in the Philippine Islands and adjacent seas. *Proc. Acad. Nat. Sci. Philadelphia*, 85: 233–367.
- Frost, B. J., Sanford, C. P. J., 1999. Kinematics of a novel feeding mechanism in the osteoglossomorph fish *Chitala chitala*: is there a prey type effect. *Zoology – Analysis of Complex Systems*, 102(1): 18–30.
- Greenwood, P. H., 1963. The swimbladder in African Notopteridae (Pisces) and its bearing on the taxonomy of the family. *Bull. Brit. Mus. Nat. Hist., Zool.* 11: 377–412.
- Gupta, A., et al., 2013. Characterization of polymorphic microsatellite markers and genetic diversity in wild bronze featherback, *Notopterus notopterus* (Pallas, 1769). *Molecular biology Reports*, 40(12): 6625–6631.
- Hussain, A., Shakir, H. A., Quazi, J. I., 2015. Growth coefficient and fecundity of *Chitala chitala* (Osteoglossiformes: Notopteridae) from the River Ravi, Pakistan. *Journal of Animal and Plant Sciences*, 25(2): 401–405.
- Chonder, S. L., 1999. *Biology of Finfish and Shellfish*. Howrath, India, 514 str.
- Inoue, J. G., et al., 2009. The historical biogeography of the freshwater knifefishes using mitogenomic approaches: A Mesozoic origin of the Asian notopterids (Actinopterygii: Osteoglossomorpha). *Molecular Phylogenetics and Evolution*, 51, 486–499.
- Ishikawa, S. N., et al., 2006. Genetic differentiation of the bronze featherback *Notopterus notopterus* between Mekong River and Tonle Sap Lake populations by mitochondrial DNA analysis. *Fisheries Science (Tokyo)*, 72(4): 750–754.
- Lavoué, S., Sullivan, J. P., 2004. Simultaneous analysis of five molecular markers provides a well-supported phylogenetic hypothesis for the living bony-tongue fishes (Osteoglossomorpha: Teleostei). *Molecular Phylogenetics and Evolution*, 33: 171–185.
- Kottelat, M., 2013: *The Fishes of the Inland Waters of Southeast Asia: A Catalogue and Core Bibliography of the Fishes Known to Occur in Freshwaters, Mangroves and Estuaries*. *The Raffles Bulletin of Zoology* 2013 Supplement No. 27: 1–663.
- Kottelat, M., et al., 1993. *Freshwater fishes of Western Indonesia and Sulawesi*. Periplus Editions, Hong Kong, 259 str.

- Kottelat, M., Widjanarti, E., 2005. The fishes of Danau Sentarum national park and the Kapuas lakes area, Kalimantan Barat, Indonesia. *The Raffles Bulletin of Zoology, Supplement No. 13*: 139 -173.
- Kottelat, M., Whitten, T., 1996. Freshwater biodiversity in Asia, with special reference to fish. *World Bank Tech. Pap.* 343: 59 p.
- Kumar, S. U., Kumar, D. P., 2009. The diet of the clown knife fish *Chitala chitala* (hamilton-Buchanan) and endangered notopterid from different wild population (India). *Electronic Journal of Ichthyology*, 5(1): 11–20.
- Kumar, S. U., Kumar, D. P., 2009. The diet of the clown knife fish *Chitala chitala* (hamilton-Buchanan) and endangered notopterid from different wild population (India). *Electronic Journal of Ichthyology*, 5(1): 11–20.
- Kirschbaum, F., Schugardt, C., 2002. Reproductive strategies and developmental aspects in Mormyrid and Gymnotiform fishes. *Journal of Physiology*, 96: 557–566.
- Kumudie, O. M. C., Wijeyaratne, M. J. S., 2005. Feasibility of controlling the accidentally introduced invasive species *Chitala ornata* in Sri Lanka. *International Association of Theoretical and Applied Limnology – Proceedings*, 29(2): 1025–1027.
- Lal, K. K., et al., 2006. Genetic divergence in two featherback fishes, *Chitala chitala* and *Notopterus notopterus*. *Journal of Applied Ichthyology*, 22(5): 369–373.
- Lavoué, S., et al., 2012. Comparable Ages for the Independent Origin of Electrogenesis in African and South American Weakly Electric Fishes. *Plos One*, 7, 5, May 2012, e36287.
- Li, G. Q., Wilson, M. V. H. 1996. Phylogeny of Osteoglossomorpha, in Stiassny ML, Parenti LR, Johnson JD (eds): *Interrelationships of Fishes*, pp 163–174 (Academic Press, New York 1996).
- Mandal, A., et al. 2009. Evaluation of genetic variation in the clown knifefish *Chitala chitala*, using allozymes, RAPD and microsatellites. *Biochemical Genetics*, 47 (3-4): 216–234.
- Mandal, A., et al. 2012: Mitochondrial DNA variation in natural populations of endangered Indian Feather-Back Fish, *Chitala chitala*. *Molecular Biology Reports*, 39(2): 1765–1775.
- Mitra, A. M., Kumar P., Sumit, H., 2014. Allometric Growth Pattern During Early Developmental Stages of Featherback *Chitala chitala* (Hamilton 1822) (Osteoglossiformes: Notopteridae). *Asian Fishery Science*, 27(4): 260–273.
- Mitra, A., Kumar, P. M., Homechaudhuri, S., 2018. An Overview of Biology and Culture Potentials of Humped Featherback *Chitala chitala* (Hamilton, 1822). A New Candidate Species for Aquaculture Diversification. *Reviews In Fisheries Science and Aquaculture*, doi 10.1080/23308249.2018.1437118.
- Ong, K. Y., 1965. Spawning *Notopterus afer*. *Tropical Fish Hobbyist*, 14(2): 24, 27, 30.
- Punia, P., et al., 2006. Polymorphic microsatellite markers isolated from partially enriched genomic library of *Chitala chitala*. *Molecular Ecology Resources*, 6(1): 1263–1265.

- Ramimullah, M., Das, B. K., 1936. Remarks on certain hitherto unknown characters in the family Notopteridae (fauna of the Hydabarth state, Deccan). Bull. Sci. Portugaise Sci. Nat., 12 135–141.
- Roberts, T. R., 1992. Systematic revision of the old world freshwater fish family Notopteridae. Ichthyological Exploration of Freshwaters 2(4): 361–383.
- Sanford, C. P. J., 2001. The novel 'tongue-bite apparatus' in knifefish family Notopteridae (teleostei: Osteoglossomorpha): are kinematic patterns conserved within clade? Zoological Journal of the Linnean Society, 132(2): 259–275.
- Sarkar, K. U., et al. 2006. Captive breeding of endangered fish *Chitala chitala* (Hamilton-Buchanan) for species conservation and sustainable utilization. Biodiversity and Conservation, 15 (11): 3579–3589.
- Sarkar, U. K., et al. 2008. Biological parameters of the endangered fish *Chitala chitala* (Osteoglossiformes: Notopteridae) from some indian rivers. Fisheries Research, 90(1-3): 170–177.
- Sarkar, U. K., et al. 2009. Length-weight relationship of clown knifefish *Chitala chitala* (Hamilton, 1822) from the River Ganga basin, India. Journal of Applied Ichthyology, 25(2): 232–233.
- Siraad, H. A., 1999. Kweek va *Xenomystus nigri*, de afrikanese mesvis. Het Akvarium, 69(3). 90–92.
- Takagi, A. P., et al., 2010. Genetic differentiation and distribution routes of the bronze featherback *Notopterus notopterus* (Osteoglossiformes: Notopteridae) in Indochina. Biological Journal of the Linnean Society, 101: 575–582.
- Taverne, L., 1998. Les Ostéoglossomorphes marins de l'Eocene du Monte Bolca (Italie): *Monopteros* Volta 1796, *Thrissopterus* Heckel, 1856 et *Foreyichthys* Taverne, 1979. Considérations sur la phylogénie des Téléostéens ostéoglossomorphes. Studi e Ricerche sui Giacimenti Terziari di Bolca (Museo Civico di Storia Naturale, Verona 1998).
- Taverne, L., Maisey, J. G., 1999. A Notopterid Skull (Teleostei, Osteoglossomorpha) from the Continental Early Cretaceous of Southern Morocco; American Museum Novitates No. 3260; American Museum of Natural History: New York, NY, USA, 1999
- Yanwirsal, H., Bartsch, P., Kirschbaum, F., 2017: Reproduction and development of the asian bronze featherback *Notopterus notopterus* (Pallas, 1769) (Osteoglossiformes, Notopteridae) in captivity. Zoosystematics and Evolution, 93(2): 299–324.