

Ráb Petr: Ostnojazyčné ryby řádu Osteoglossiformes 6. Podivuhodné zeměpisné rozšíření (Živa 2019, 1: 38–41)

Použitá a doporučená literatura k dílu 6 a zároveň pramenů jako doplněk k celému seriálu

Agnèse JF, Bigorne R. Premières données sur les relations génétiques entre onze espèces ouest-africaines de Mormyridae (Teleostei, Osteichthyes). Rev Hydrobiol Trop. 1992; 25 (3): 253-61. [[Links](#)]

Akinyi E, et al. *Heterotis niloticus*. The IUCN Red List of Threatened Species [Internet]. 2010 [cited 2018 Mar 09]: e.T182580A7920022. Available from: <http://dx.doi.org/10.2305/IUCN.UK.2010-3.RLTS.T182580A7920022.en> [[Links](#)]

Ali JR, Aitchison JC. Gondwana to Asia: Plate tectonics, paleogeography and the biological connectivity of the Indian sub-continent from the Middle Jurassic through latest Eocene (166-35 Ma). Earth-Sci Rev [serial on the Internet]. 2008; 88 (3-4): 145-66.

Available from: <https://doi.org/10.1016/j.earscirev.2008.01.007> [[Links](#)]

Alves-Gomes JA. Systematic biology of gymnotiform and mormyriiform electric fishes: phylogenetic relationships, molecular clocks and rates of evolution in the mitochondrial rRNA genes. J Exp Biol. 1999; 202 (10): 1167-83. [[Links](#)]

Alves-Gomes JA, Hopkins CD. Molecular insights into the phylogeny of mormyriiform fishes and the evolution of their electric organ. Brain Behav Evol. 1997; 49 (6): 324-29. [[Links](#)]

Araripe J, et al. Dispersal capacity and genetic structure of *Arapaima gigas* on different geographic scales using microsatellite markers. PLoS One [serial on the Internet]. 2013; 8 (1): e54470. Available from: <https://doi.org/10.1371/journal.pone.0054470> [[Links](#)]

Arnegard ME, et al. Sexual signal evolution outpaces ecological divergence during electric fish species radiation. Am Nat [serial on the Internet]. 2010; 176 (3): 335-56.

Available from: <https://doi.org/10.1086/655221> [[Links](#)]

Arratia G. The caudal skeleton of Jurassic teleosts: A phylogenetic analysis. In: Chang M-M, Liu H, Zhang G-R, editors. Early Vertebrates and Related Problems in Evolutionary Biology. Beijing: Science Press; 1991. p. 249-340. [[Links](#)]

Arratia G. Basal teleosts and teleostean phylogeny. Palaeo Ichthyol. 1997; 7: 5-168. [[Links](#)]

Arratia G. The monophyly of Teleostei and stem-group teleosts. Consensus and disagreements. In: Arratia G, Schultze H-P, editors. Mesozoic Fishes 2: Systematics and Fossil Record. München: Verlag Dr. Friedrich Pfeil; 1999. p. 265-334. [[Links](#)]

Arratia G. The sister-group of Teleostei: Consensus and disagreements. J Vertebr Paleontol. 2001; 21 (4): 767-73. [[Links](#)]

Arratia, G. The vasarichthyid and other crossognathiform fishes, and the break-up of Pangea. In: Cavin L, Longbottom A, Richter M, editors. Fishes and the Break-up of Pangea. London: Geological Society; 2008. p. 71-92. (Special Publications; 295). [[Links](#)]

Arratia G, Schultze H-P. Palatoquadrate and its ossifications: Development and homology within osteichthyans. J Morphol [serial on the Internet]. 1991; 208 (1): 1-81.

Available from: <https://doi.org/10.1002/jmor.1052080102> [[Links](#)]

Austin CM, et al. Whole genome sequencing of the Asian Arowana (*Scleropages formosus*) provides insights into the evolution of ray-finned fishes. *Genome Biol Evol* [serial on the Internet]. 2015; 7 (10): 2885-95. Available from: <https://doi.org/10.1093/gbe/evv186> [Links]

Azeroual A, et al. 2010. *Gymnarchus niloticus*. The IUCN Red List of Threatened Species [Internet]; 2010 [cited 2018 Feb 12]: e.T181688A7706153. Available from: <http://dx.doi.org/10.2305/IUCN.UK.2010-3.RLTS.T181688A7706153.en> [Links]

Bănărescu P. Zoogeography of Fresh Waters. Volume 2: distribution and dispersal of freshwater animals in North America and Eurasia. Wiesbaden: Aula-Verlag; 1991. [Links]

Battle HI, Sprules WM. A description of the semi-buoyant eggs and early developmental stages of the Goldeye, *Hiodon alosoides* (Rafinesque). *Can J Fish Aquat Sci* [serial on the Internet]. 1960; 17(2): 245-66. Available from: <https://doi.org/10.1139/f60-020> [Links]

de Beaufort LF. Notes on the distribution of freshwater fishes. *Copeia* [serial on the Internet]. 1964; 1964(1):60-65. Available from: <http://jstor.org/stable/1440832> [Links]

Benveniste L. Phylogenetic systematic of *Gymnarchus* (Notopteroidei) with notes on *Petrocephalus* (Mormyridae) of the Osteoglossomorpha. [Masters Thesis]. New York City, NY: The City College of New York; 1994. [Links]

Bergsten J. A review of long-branch attraction. *Cladistics* [serial on the Internet]. 2005; 21 (2): 163-93. Available from: <https://doi.org/10.1111/j.1096-0031.2005.00059.x> [Links]

Bernardi G, et al. The fishes of Genome 10K. *Mar Genomics* [serial on the Internet]. 2012; 7: 3-6. Available from: <https://doi.org/10.1016/j.margen.2012.02.002> [Links]

Betancur-R R, et al. The tree of life and a new classification of bony fishes. *PLoS Curr* [serial on the Internet]. 2013; 5:ecurrents.tol.53ba26640df0ccaee75bb165c8c26288. Available from: <http://doi.org/10.1371/currents.tol.53ba26640df0ccaee75bb165c8c26288> [Links]

Betancur-R R, et al. Phylogenetic classification of bony fishes. *BMC Evol Biol* [serial on the Internet]. 2017; 17(162):1-40. Available from: <http://doi.org/10.1186/s12862-017-0958-3> [Links]

Bian C, et al. The Asian arowana (*Scleropages formosus*) genome provides new insights into the evolution of an early lineage of teleosts. *Sci Rep.* [serial on the Internet]. 2016; 6 (24501). Available from: <http://doi.org/10.1038/srep24501> [Links]

Bigorne R. Mormyridae. In: Lévêque C, Paugy D, Teugels GG, editors. Faune des poissons d'eaux saumâtres d'Afrique de l'Ouest. Tome 1. Tervuren: Musée Royal de l'Afrique Centrale, and Paris: ORSTOM; 1990. p.122-184. [Links]

Bloom DD, Lovejoy NR. Molecular phylogenetics reveals a pattern of biome conservatism in New World anchovies (family Engraulidae). *J Evol Biol* [serial on the Internet]. 2012; 25(4):701-15. Available from: <https://doi.org/10.1111/j.1420-9101.2012.02464.x> [Links]

Bonaparte CL. Catalogo metodico dei pesci europei. Part 2. *Atti Sci Ital.* 1846; 1-95. [Links]

Bonde N. Osteoglossids (Teleostei:Osteoglossomorpha) of the Mesozoic - Comments on their interrelationships. In: Arratia G, Viehl G, editors. *Mesozoic Fishes: Systematics and Paleoecology.* München: Verlag Dr. Friedrich Pfeil , 1996. p. 273-284. [Links]

- Bonde N. Osteoglossomorphs of the marine Lower Eocene of Denmark – with remarks on other Eocene taxa and their importance for palaeobiogeography. In: Cavin L, Longbottom A, Richter M, editors. *Fishes and the Break-up of Pangea*. London: Geological Society; 2008. p. 253-310. (Special Publications; 295). [[Links](#)]
- Boulenger GA. A revision of the genera and species of fishes of the family Mormyridae. *Proc Zool Soc Lond*; 1898; 66(4):775-821. [[Links](#)]
- Braasch I, et al. A new model army: Emerging fish models to study the genomics of vertebrate evolution. *J Exp Zool B Mol Dev Evol*. 2015; 324(4):316-41. [[Links](#)]
- Bradford MR, Jr. African, but not Asian, notopterid fishes are electroreceptive: evidence from brain characters. *Neurosci Lett* [serial on the Internet]. 1982; 32(1):35-39. Available from: [https://doi.org/10.1016/0304-3940\(82\)90225-7](https://doi.org/10.1016/0304-3940(82)90225-7) [[Links](#)]
- Briggs JC. Fishes and birds: Gondwana life rafts reconsidered. *Syst Biol* [serial on the Internet]. 2003; 52(4):548-53. Available from: <https://jstor.org/stable/3651142> [[Links](#)]
- Britz R. Egg structure and larval development of *Pantodon buchholzi* (Teleostei: Osteoglossomorpha), with a review of data on reproduction and early life history in other osteoglossomorphs. *Ichthyol Explor Freshw*. 2004; 15 (3): 209-24. [[Links](#)]
- Carlson BA, et al. Brain evolution triggers increased diversification of electric fishes. *Science* [serial on the Internet]. 2011; 332(6029):583-86. Available from: <https://doi.org/10.1126/science.1201524> [[Links](#)]
- Cavin L. Palaeobiogeography of Cretaceous bony fishes (Actinistia, Dipnoi and Actinopterygii). In: Cavin L, Longbottom A, Richter M, editors. *Fishes and the Break-up of Pangea*. London: Geological Society; 2008. p. 165-183. (Special Publications; 295). [[Links](#)]
- Cavin L, Forey PL. Osteology and systematic affinities of *Palaeonotopterus greenwoodi* Forey 1997 (Teleostei: Osteoglossomorpha). *Zool J Linn Soc* [serial on the Internet]. 2001; 133 (1): 25-52. Available from: <https://doi.org/10.1111/j.1096-3642.2001.tb00621.x> [[Links](#)]
- Cavin L, et al. Osteology of *Eubiodectes libanicus* (Pictet & Humbert, 1866) and some other ichthyodectiformes (Teleostei): phylogenetic implications. *J Syst Palaeontol* [serial on the Internet]. 2013; 11(2):115-77. Available from: <https://doi.org/10.1080/14772019.2012.691559> [[Links](#)]
- Cavin L, Longbottom A, Richter M, editors. *Fishes and the Break-up of Pangea*. London: Geological Society ; 2008. (Special Publications; 295). [[Links](#)]
- Chang M-M, Chou C-C. [On Late Mesozoic fossil fishes from Zhejiang Province, China]. *Mem Inst Vertebr Palaeontol Palaeoanthrop*. 1977; 12:1-60. [in Chinese, with English summary]. [[Links](#)]
- Chatterjee S, Goswami A, Scotese CR. The longest voyage: Tectonic, magmatic, and paleoclimatic evolution of the Indian plate during its northward flight from Gondwana to Asia. *Gondwana Res* [serial on the Internet]. 2013; 23(1):238-67. Available from: <https://doi.org/10.1016/j.gr.2012.07.001> [[Links](#)]
- Chen JN, et al. Phylogeny of the Elopomorpha (Teleostei): Evidence from six nuclear and mitochondrial markers. *Mol Phylogenet Evol* [serial on the Internet]. 2014; 70:152-61. Available from: <https://doi.org/10.1016/j.ympev.2013.09.002> [[Links](#)]

- Chen M-Y, Liang D, Zhang P. Selecting question-specific genes to reduce incongruence in phylogenomics: A case study of jawed vertebrate backbone phylogeny. *Syst Biol* [serial on the Internet]. 2015; 64(6):1104-20. Available from: <https://doi.org/10.1093/sysbio/syv059> [Links]
- Conway KW, et al. Molecular systematics of the New World clingfish genus *Gobiesox* (Teleostei: Gobiesocidae) and the origin of a freshwater clade. *Mol Phylogenet Evol* [serial on the Internet]. 2017; 112:138-47. Available from: <https://doi.org/10.1016/j.ympev.2017.04.024> [Links]
- Cope ED. Observations on the systematic relations of the fishes. *Am Nat.* 1871; 5 (8/9): 579-93. [Links]
- Cracraft J. Continental drift and vertebrate distribution. *Annu Rev Ecol Syst* [serial on the Internet]. 1974; 5(1):215-61. Available from: <https://doi.org/10.1146/annurev.es.05.110174.001243> [Links]
- Darlington PJ. Zoogeography: The geographical distribution of animals. New York: John Wiley & Sons; 1957. [Links]
- Davis AM, et al. Marine-freshwater transitions are associated with the evolution of dietary diversification in terapontid grunters (Teleostei: Terapontidae). *J Evol Biol* [serial on the Internet]. 2012; 25(6):1163-79. Available from: <https://doi.org/10.1111/j.1420-9101.2012.02504.x> [Links]
- Eigenmann CH. The origin of the fish-fauna of the fresh waters of south America. Boston: The University Press; 1912. (Proceedings of the Seventh International Zoological Congress, 19-24 August 1907). [Links]
- Escobar L MD, et al. Molecular diagnosis of the arowanas *Osteoglossum ferreirai* Kanazawa, 1966 and *O. bicirrhosum* (Cuvier, 1829) from the Orinoco and Amazon River basins. *Neotrop Ichthyol* [serial on the Internet]. 2013; 11(2):335-40. Available from: <https://doi.org/10.1590/S1679-62252013000200011> [Links]
- Faircloth BC, et al. A phylogenomic perspective on the radiation of Ray-finned fishes based upon targeted sequencing of ultraconserved elements (UCEs). *PLoS One* [serial on the Internet]. 2013; 8(6):e65923. Available from: <https://doi.org/10.1371/journal.pone.0065923> [Links]
- Feulner PGD, et al. Adaptive radiation in African weakly electric fish (Teleostei: Mormyridae: *Campylomormyrus*): a combined molecular and morphological approach. *J Evol Biol* [serial on the Internet]. 2007; 20 (1): 403-14. Available from: <https://doi.org/10.1111/j.1420-9101.2006.01181.x> [Links]
- Forey PL. A Cretaceous notopterid (Pisces: Osteoglossomorpha) from Morocco. *S Afr J Sci.* 1997; 93(11-12):564-69. [Links]
- Forey PL, Hilton EJ. Two new Tertiary osteoglossid fishes (Teleostei: Osteoglossomorpha) with notes on the history of the family. In: Elliott DK, Maisey JG, Yu X, Miao D, editors. *Morphology, phylogeny and paleobiogeography of fossil fishes*. München: Verlag Dr. Friedrich Pfeil ; 2010. p. 215-246. [Links]
- Fowler HW. Descriptions of new fishes obtained 1907 to 1910, chiefly in the Philippine Islands and adjacent seas. *Proc Acad Nat Sci Phila* [serial on the Internet]. 1933; 85: 233-67. Available from: <https://jstor.org/stable/4064176> [Links]
- Fricke R, Eschmeyer WN, Fong JD. Species by family/subfamily in the Catalog of Fishes. [Electronic version]. San Francisco: California Academy of Sciences; 2018. [cited 2018 Feb 12]. Available

from: <http://researcharchive.calacademy.org/research/ichthyology/catalog/SpeciesByFamily.asp> [[Link s](#)]

Friedman M, et al. Molecular and fossil evidence place the origin of cichlid fishes long after Gondwanan rifting. *Proc Roy Soc B Biol Sci*. 2013; 280(1770):1-8. Available from: <http://doi.org/10.1098/rspb.2013.1733> [[Links](#)]

Gaina C, van Hinsbergen DJJ, Spakman W. Tectonic interactions between India and Arabia since the Jurassic reconstructed from marine geophysics, ophiolite geology, and seismic tomography. *Tectonics* [serial on the Internet]. 2015; 34(5):875-906. Available from: <https://doi.org/10.1002/2014TC003780> [[Links](#)]

Gallant JR, et al. The genome and adult somatic transcriptome of the mormyrid electric fish *Paramormyrops kingsleyae*. *Genome Biol Evol* [serial on the Internet]. 2017; 9(12):3525-30. Available from: <https://doi.org/10.1093/gbe/evx265> [[Links](#)]

Garstang W. The phyletic classification of Teleostei. *Proc Leeds Philos Lit Soc Sci Sect*. 1931; 2(5):240-60. [[Links](#)]

Gayet M, Meunier FJ. Écailles actuelles et fossiles d'Ostéoglossiformes (Pisces, Teleostei). *C R Acad Sci II*. 1983; 297(13):867-70. [[Links](#)]

Gayet M, Meunier FJ. Maastrichtian to early late Paleocene freshwater Osteichthyes of Bolivia: additions and comments. In: Malabarba LR, Reis RE, Vari RP, Lucena ZMS, Lucena CAS, editors. *Phylogeny and classification of Neotropical fishes*. Porto Alegre: Edipucrs; 1998. p. 85-110. [[Links](#)]

Gosline WA. Contribution toward a classification of modern isospondylous fishes. *Bull Brit Mus (Nat Hist) Zool*. 1960; 6 (6): 325-65. [[Links](#)]

Gosline WA. A reexamination of the similarities between the freshwater fishes of Africa and South America. *Mem Mus Natn Hist Nat Paris*. 1975; 88: 146-54. [[Links](#)]

Goulding M. *The fishes and the forest: explorations in Amazonian natural history*. Berkeley and Los Angeles: University of California Press; 1980. [[Links](#)]

Grande L, Cavender TM. Description and phylogenetic reassessment of the monotypic Ostariostomidae (Teleostei). *J. Vertebr Paleontol* [serial on the Internet]. 1991; 11 (4): 405-16. Available from: <https://doi.org/10.1080/02724634.1991.10011412> [[Links](#)]

Greenwood PH, Rosen DE, Weitzman SH, Myers GS. Phyletic studies of teleostean fishes, with a provisional classification of living forms. *Bull Am Mus Nat Hist*. 1966; 131 (4): 339-456. [[Links](#)]

Greenwood PH. On the genus *Lycoptera* and its relationship with the family Hiodontidae (Pisces, Osteoglossomorpha). *Bull Brit Mus (Nat Hist) Zool* . 1970; 19 (8): 259-85. [[Links](#)]

Greenwood PH. Hyoid and ventral gill arch musculature in osteoglossomorph fishes. *Bull Brit Mus (Nat Hist) Zool*. 1971; 22 (1): 1-55. [[Links](#)]

Greenwood PH. New fish fossils from Pliocene of Wadi Natrun Egypt. *J Zool* [serial on the Internet]. 1972; 168(4):503-19. Available from: <https://doi.org/10.1111/j.1469-7998.1972.tb01364.x> [[Links](#)]

Greenwood PH. Interrelationships of osteoglossomorphs. In: Greenwood PH, Miles RS, Patterson C, editors. *Interrelationships of Fishes*. London: Academic Press; 1973. p. 307-332. [[Links](#)]

- Günther ACLG. On a new generic type of fishes discovered by the late Dr. Leichardt in Queensland. J Nat Hist. 1864; 14 (81): 195-97. [[Links](#)]
- Hallam A. The bearing of certain palaeozoogeographic data on continental drift. Palaeogeogr Palaeoclimatol Palaeoecol [serial on the Internet]. 1967; 3:201-41. Available from: [https://doi.org/10.1016/0031-0182\(67\)90017-X](https://doi.org/10.1016/0031-0182(67)90017-X) [[Links](#)]
- Hills ES. Tertiary fresh water fishes from southern Queensland. Mem Queensl Mus. 1934; 10 (4): 157-74. [[Links](#)]
- Hills ES. Tertiary freshwater fishes and crocodilian remains from Gladstone and Duaringa, Queensland. Mem Queensl Mus. 1943; 12: 96-100. [[Links](#)]
- Hilton EJ. Tongue bite apparatus of osteoglossomorph fishes: Variation of a character complex. Copeia . 2001; 2001 (2): 372-81. [[Links](#)]
- Hilton EJ. Osteology of the extant North American fishes of the genus *Hiodon* Lesueur 1818 (Teleostei: Osteoglossomorpha: Hiodontiformes). Fieldiana Zool. 2002; 100: 1-142. [[Links](#)]
- Hilton EJ. Comparative osteology and phylogenetic systematics of fossil and living bony-tongue fishes (Actinopterygii, Teleostei, Osteoglossomorpha). Zool J Linn Soc [serial on the Internet]. 2003; 137 (1): 1-100. Available from: <https://doi.org/10.1046/j.1096-3642.2003.00032.x> [[Links](#)]
- Hilton EJ, Britz R. The caudal skeleton of osteoglossomorph fishes, revisited: comparisons, homologies, and characters. In: Nelson JS, Schultze H-P, Wilson MVH, editors. Origin and phylogenetic interrelationships of teleosts. München: Verlag Dr. Friedrich Pfeil ; 2010. p.219-237. [[Links](#)]
- Hilton EJ, Forey PL. Contributions of Walter G. Ridewood to systematic comparative anatomy, especially of the osteology of "lower" vertebrates. J Nat Hist [serial on the Internet]. 2005; 39 (8): 641-55. Available from: <https://doi.org/10.1080/00222930400001475> [[Links](#)]
- Hilton EJ, Grande L. Fossil Mooneyes (Teleostei: Hiodontiformes, Hiodontidae) from the Eocene of western North America, with a reassessment of their taxonomy. In: Cavin L, Longbottom A, Richter M, editors. Fishes and the Break-up of Pangea . London: Geological Society; 2008. p. 221-251. (Special Publications; 295). [[Links](#)]
- Hilton EJ, et al. Clarification of the Occipito-Vertebral region of *Arapaima gigas* (Osteoglossomorpha: Osteoglossidae) through developmental osteology. Copeia. 2007; 2007 (1): 218-24. [[Links](#)]
- Hilton EJ, Bemis WE, Grande L. Hiodontidae - Mooneyes. In: Burr B, Warren M, editors. North American freshwater fishes: evolution, ecology, and behavior, Volume 1. Baltimore: Johns Hopkins University Press; 2014. p. 299-312. [[Links](#)]
- Hilton EJ, Schnell NK, Konstantinidis P. When tradition meets technology: systematic morphology of fishes in the early 21st century. Copeia . 2015; 103 (4): 858-73. [[Links](#)]
- Hilton, E. J., lavoué, S, 2018: A review of the systematic biology of fossil and living bony-tongue fishes, Osteoglossomorpha (Actinopterygii: Teleostei). Neotropical Ichthyology,16 (3): e180031, <http://dx.doi.org/10.1590/1982-0224-20180031>
- Hrbek T, et al. Population genetic analysis of *Arapaima gigas*, one of the largest freshwater fishes of the Amazon basin: implications for its conservation. Anim Conserv [serial on the Internet]. 2005; 8 (3): 297-308. Available from: <https://doi.org/10.1017/S1367943005002210> [[Links](#)]

- Hughes LC, et al. Comprehensive phylogeny of ray-finned fishes (Actinopterygii) based on transcriptomic and genomic data. Proc Natl Acad Sci USA [serial on the Internet]. 2018; 115 (24): 6249-54. Available from: <https://doi.org/10.1073/pnas.1719358115> [Links]
- Hurley IA, et al. A new time-scale for ray-finned fish evolution. Proc Roy Soc B [serial on the Internet]. 2007; 274(1609):489-98. Available from: <https://doi.org/10.1098/rspb.2006.3749> [Links]
- Hurtado LA, et al. Genetic differentiation of a primitive teleost, the African bonytongue *Heterotis niloticus*, among river basins and within a floodplain river system in Benin, West Africa. J Fish Biol [serial on the Internet]. 2013; 83 (3): 682-90. Available from: <https://doi.org/10.1111/jfb.12198> [Links]
- International Commission on Zoological Nomenclature (ICZN). International Code of Zoological Nomenclature. 4th ed. London: International Trust for Zoological Nomenclature Natural History Museum; 1999. [Links]
- Inoue JG, et al. The historical biogeography of the freshwater knifefishes using mitogenomic approaches: A Mesozoic origin of the Asian notoapterids (Actinopterygii: Osteoglossomorpha). Mol Phylogent Evol [serial on the Internet]. 2009; 51(3):486-99. Available from: <https://doi.org/10.1016/j.ympev.2009.01.020> [Links]
- Inoue JG, et al. Basal actinopterygian relationships: a mitogenomic perspective on the phylogeny of the “ancient fish”. Mol Phylogent Evol [serial on the Internet]. 2003; 26 (1): 110-20. Available from: [https://doi.org/10.1016/S1055-7903\(02\)00331-7](https://doi.org/10.1016/S1055-7903(02)00331-7) [Links]
- Jin F. A new genus and species of Hiodontidae from Xintai, Shandong. Vert PalAs. 1991; 29 (1): 46-54. [In Chinese with an English summary]. [Links]
- Jin F, Zhang J, Zhou Z. Late Mesozoic fish fauna from western Liaoning, China. Vert PalAs , 1995; 33 (3): 169-93. [In Chinese with an English summary]. [Links]
- Johnson GD, et al. A ‘living fossil’ eel (Anguilliformes: Protanguillidae, fam. nov.) from an undersea cave in Palau. Proc R Soc Lon B Biol Sci [serial on the Internet]. 2012; 279 (1730): 934-43. Available from: <https://doi.org/10.1098/rspb.2011.1289> [Links]
- Kottelat M. The fishes of the inland waters of Southeast Asia: a catalogue and core bibliography of the fishes known to occur in freshwaters, mangroves and estuaries. Raffles Bull Zool. 2013; 27: 1-663. [Links]
- Kottelat M, Widjanarti E. The fishes of Danau Sentarum National Park and the Kapuas Lakes area, Kalimantan Barat, Indonesia. Raffles Bull Zool . 2005; 13: 139-73. [Links]
- Kumar K, Rana RS, Paliwal BS. Osteoglossid and lepisosteid fish remains from the Paleocene Palana Formation, Rajasthan, India. Pap Palaeontol [serial on the Internet]. 2005; 48 (6): 1187-1209. Available from: <https://doi.org/10.1111/j.1475-4983.2005.00519.x> [Links]
- Kumazawa Y, Nishida M. Molecular phylogeny of osteoglossoids: a new model for Gondwanian origin and plate tectonic transportation of the Asian arowana. Mol Biol Evol [serial on the Internet]. 2000; 17(12):1869-78. Available from: <https://doi.org/10.1093/oxfordjournals.molbev.a026288> [Links]
- Lauder GV, Liem KF. The evolution and interrelationships of the actinopterygian fishes. Bull Mus Comp Zool. 1983; 150(3):95-197. [Links]

- Lavoué S. Testing a time hypothesis in the biogeography of the arowana genus *Scleropages* (Osteoglossidae). *J Biogeog* [serial on the Internet]. 2015; 42 (12): 2427-39. Available from: <https://doi.org/10.1111/jbi.12585> [Links]
- Lavoué S. Was Gondwanan breakup the cause of the intercontinental distribution of Osteoglossiformes? A time-calibrated phylogenetic test combining molecular, morphological, and paleontological evidence. *Mol Phylogenet Evol* [serial on the Internet]. 2016; 99: 34-43. Available from: <https://doi.org/10.1016/j.ympev.2016.03.008> [Links]
- Lavoué S, et al. Phylogenetic relationships of mormyrid electric fishes (Mormyridae, Teleostei) inferred from cytochrome b sequences. *Mol Phylogenet Evol* [serial on the Internet]. 2000; 14 (1): 1-10. Available from: <https://doi.org/10.1006/mpev.1999.0687> [Links]
- Lavoué S, et al. Remarkable morphological stasis in an extant vertebrate despite tens of millions of years of divergence. *Proc R Soc Long B Biol Sci* [serial on the Internet]. 2011; 278: 1003-08. Available from: <https://doi.org/10.1098/rspb.2010.1639> [Links]
- Lavoué S, et al. Comparable ages for the independent origins of electrogenesis in African and South American weakly electric fishes. *PLoS One* [serial on the Internet]. 2012; 7 (e36287). Available from: <https://doi.org/10.1371/journal.pone.0036287> [Links]
- Lavoué S, et al. Mitogenomic evidence for an Indo-West Pacific origin of the Clupeoidei (Teleostei: Clupeiformes). *PLoS One* [serial on the Internet]. 2012; 7(5):e56485. Available from: <https://doi.org/10.1371/journal.pone.0056485> [Links]
- Lavoué S, Sullivan JP. Simultaneous analysis of five molecular markers provides a well-supported phylogenetic hypothesis for the living bony-tongue fishes (Osteoglossomorpha: Teleostei). *Mol Phylogenet Evol* [serial on the Internet]. 2004. 33(1):171-85. Available from: <https://doi.org/10.1016/j.ympev.2004.04.021> [Links]
- Le HLV, Lecointre G, Perasso R. A 28S rRNA-based phylogeny of the gnathostomes: first steps in the analysis of conflict and congruence with morphologically based cladograms. *Mol Phylogenet Evol* [serial on the Internet]. 1993; 2(1):31-51. Available from: <https://doi.org/10.1006/mpev.1993.1005> [Links]
- Leal MEC, Brito PM. Intraspecific variation of the caudal fin skeleton in *Osteoglossum bicirrhosum* Cuvier 1829 (Teleostei: Osteoglossomorpha: Osteoglossidae). *Zootaxa* [serial on the Internet]. 2007; 1434(1):1-26. Available from: <https://doi.org/10.11646/zootaxa.1434.1.1> [Links]
- Leis JM, Olney JE, M Okiyama. Introduction to the proceedings of the symposium Fish Larvae and Systematics: Ontogeny and Relationships. *Bull Mar Sci*. 1997; 60(1):1-5. [Links]
- Levin BA, Golubtsov AS. New insights into the molecular phylogeny and taxonomy of mormyrids (Osteoglossiformes, Actinopterygii) in northern East Africa. *J Zool Syst Evol Res* [serial on the Internet]. 2018. 56(1):61-76. Available from: <https://doi.org/10.1111/jzs.12186> [Links]
- Li CH, Lu GQ, Ortí G. Optimal data partitioning and a test case for ray-finned fishes (Actinopterygii) based on ten nuclear loci. *Syst Biol* [serial on the Internet]. 2008; 57(4):519-39. Available from: <https://doi.org/10.1080/10635150802206883> [Links]

- Li G-Q. Notes on the historical biogeography of the Osteoglossomorpha (Teleostei). In: Jin Y-G, Dineley D, editors. Palaeontology and historical geology. Proc 30th Int'l Geo Congr. Utrecht: VSP BV; 1997. p.54-66. (Vol. 12) [[Links](#)]
- Li G-Q, Wilson MVH. Phylogeny of Osteoglossomorpha. In: Stiassny MLJ, Parenti LR, Johnson GD, editors. Interrelationships of fishes. New York: Academic Press; 1996a. p. 163-174. [[Links](#)]
- Li G-Q, Wilson MVH. The discovery of Heterotidinae (Teleostei: Osteoglossidae) from the Paleocene Paskapoo formation of Alberta, Canada. J Vertebr Paleontol [serial on the Internet]. 1996b. 16(2):198-209. Available from: <https://doi.org/10.1080/02724634.1996.10011308> [[Links](#)]
- Li G-Q, Wilson MVH. Early divergence of Hiodontiformes *sensu stricto* in East Asia and phylogeny of some Late Mesozoic teleosts from China. In: Arratia G, Schultze H-P, editors. Mesozoic Fishes 2: Systematics and Fossil Record. München: Verlag Dr. Friedrich Pfeil; 1999. p. 369-384. [[Links](#)]
- Li G-Q, Wilson MVH, Grande L. Review of *Eohiodon* (Teleostei: Osteoglossomorpha) from Western North America, with phylogenetic reassessment of Hiodontidae. J Paleontol [serial on the Internet]. 1997a; 71 (6): 1109-24. Available from: <https://doi.org/10.1017/S0022336000036064> [[Links](#)]
- Li G-Q, Grande L, Wilson MVH. The species of *Phareodus* (Teleostei: Osteoglossidae) from the Eocene of North America and their phylogenetic relationships. J Vert Paleontol [serial on the Internet]. 1997b; 17 (3): 487-505. Available from: <https://doi.org/10.1080/02724634.1997.10010997> [[Links](#)]
- Lundberg JG. African-South American freshwater fish clades and continental drift: problems with a paradigm. In: Goldblatt P, editor. Biological relationships between Africa and South America. New Haven: Yale University Press. 1993; p. 156-199. [[Links](#)]
- Lundberg JG, Chernoff B. A Miocene fossil of the Amazonian fish *Arapaima* (Teleostei, Arapaimidae) from the Magdalena River region of Colombia-Biogeographic and evolutionary implication. Biotropica [serial on the Internet]. 1992; 24 (1): 2-14. Available from: <https://www.jstor.org/stable/2388468> [[Links](#)]
- Lundberg JG, et al. Discovery of African roots for the Mesoamerican Chiapas catfish, *Lacantunia enigmatica*, requires an ancient intercontinental passage. Proc Acad Nat Sci Phila [serial on the Internet]. 2007; 156: 39-53. Available from: [http://www.bioone.org/doi/abs/10.1635/0097-3157\(2007\)156%5B39:DOARFT%5D2.0.CO%3B2](http://www.bioone.org/doi/abs/10.1635/0097-3157(2007)156%5B39:DOARFT%5D2.0.CO%3B2) [[Links](#)]
- Ma F-Z, Sun J-R. Jura-Cretaceous ichthyofaunas from the Sankeyushu section of Tonghua, Jilin. Acta Palaeont Sin. 1988; 27 (6): 694-711. [In Chinese with English Summary]. [[Links](#)]
- Matschiner M, et al. Bayesian phylogenetic estimation of clade ages supports trans-Atlantic dispersal of cichlid fishes. Syst Biol [serial on the Internet]. 2017; 66 (1): 3-22. Available from: <https://doi.org/10.1093/sysbio/syw076> [[Links](#)]
- Matzke NJ. Probabilistic historical biogeography: new models for founder-event speciation, imperfect detection, and fossils allow improved accuracy and model-testing [PhD Thesis]. Berkeley: University of California; 2013. [[Links](#)]
- Mohd-Shamsudin MI, et al. Molecular characterization of relatedness among colour variants of Asian Arowana (*Scleropages formosus*). Gene [serial on the Internet]. 2011; 490 (1-2): 47-53. Available from: <https://doi.org/10.1016/j.gene.2011.08.025> [[Links](#)]

- Moritz T, Britz R. Ontogeny and homology of the basipterygoid articulation in *Pantodon buchholzi* (Teleostei: Osteoglossomorpha). Zool J Lin Soc [serial on the Internet]. 2005; 144: 1-13. Available from: <https://doi.org/10.1111/j.1096-3642.2005.00163.x> [Links]
- Mu XD, et al. Genetic diversity and phylogeny of the family Osteoglossidae by the nuclear 18S ribosomal RNA and implications for its conservation. Biochem Syst Ecol [serial on the Internet]. 2013; 51:280-87. Available from: <https://doi.org/10.1016/j.bse.2013.09.010> [Links]
- Mu XD, et al. Mitochondrial DNA as effective molecular markers for the genetic variation and phylogeny of the family Osteoglossidae. Gene [serial on the Internet]. 2012; 511 (2): 320-25. Available from: <https://doi.org/10.1016/j.gene.2012.09.087> [Links]
- Murray AM, et al. New articulated osteoglossomorph from Late Cretaceous freshwater deposits (Maastrichtian, Scollard Formation) of Alberta, Canada. J. Vertebr Paleontol [serial on the Internet]. 2016; 36 (4): e1120737. Available from: <https://doi.org/10.1080/02724634.2016.1120737> [Links]
- Murray AM, Wilson MVH. Description of a new Eocene osteoglossid fish and additional information on *Singida jacksonoides* Greenwood and Patterson, 1967 (Osteoglossomorpha), with an assessment of their phylogenetic relationships. Zool J Linn Soc [serial on the Internet]. 2005; 144 (2): 213-28. Available from: <https://doi.org/10.1111/j.1096-3642.2005.00170.x> [Links]
- Murray AM, You HL, Peng C. A New Cretaceous osteoglossomorph fish from Gansu Province, China. J Vertebr Paleontol [serial on the Internet]. 2010; 30 (2): 322-32. Available from: <https://doi.org/10.1080/02724631003621961> [Links]
- Murray AM, et al. Two new Palaeocene osteoglossomorphs from Canada, with a reassessment of the relationships of the genus *Joffrichthys*, and analysis of diversity from articulated versus microfossil material. Zool J Linn Soc [serial on the Internet]. 2018; 183 (4): 907-44. Available from: <https://doi.org/10.1093/zoolinnean/zlx100> [Links]
- Near TJ, et al. Resolution of ray-finned fish phylogeny and timing of diversification. Proc Natl Acad Sci USA [serial on the Internet]. 2012; 109 (34): 13698-703. Available from: <https://doi.org/10.1073/pnas.1206625109> [Links]
- Nelson GJ. Gill arches of teleostean fishes of the division Osteoglossomorpha. J Linn Soc [serial on the Internet]. 1968; 47 (312): 261-77. Available from: <https://doi.org/10.1111/j.1096-3642.1968.tb00511.x> [Links]
- Nelson GJ. Infraorbital bones and their bearing on the phylogeny and geography of osteoglossomorph fishes. Am Mus Novit. 1969; 2394: 1-37. [Links]
- Nelson GJ, Ladiges PY. Gondwana, vicariance biogeography and the New York School revisited. Aust J Bot. 2001; 49 (3): 389-409. [Links]
- Nelson JS. Fishes of the world. 3rd ed. New York (NY): J. Wiley; 1994. [Links]
- Nelson JS. Fishes of the world . 4th ed. Hoboken (NJ): J. Wiley; 2006. [Links]
- Nelson JS, Grande TC, Wilson MVH. Fishes of the world . 5th ed. Hoboken (NJ): J. Wiley; 2016. [Links]
- Nolf D, Rana RS, Prasad GVR. Late Cretaceous (Maastrichtian) fish otoliths from the Deccan Intertrappean Beds, India: a revision. Bull Inst R Sci Nat Belg Sci Terre. 2008; 78: 239-59. [Links]

- Normark BB, McCune AR, Harrison RG. Phylogenetic-relationships of Neopterygian fishes, inferred from mitochondrial DNA sequences. *Mol Biol Evol* [serial on the Internet]. 1991; 8 (6): 819-34. Available from: <https://doi.org/10.1093/oxfordjournals.molbev.a040685> [Links]
- Otero O, Gayet M. Palaeoichthyofaunas from the Lower Oligocene and Miocene of the Arabian Plate: palaeoecological and palaeobiogeographical implications. *Palaeogeogr Palaeoclimatol Palaeoecol* [serial on the Internet]. 2001; 165(1-2):141-69. Available from: [https://doi.org/10.1016/S0031-0182\(00\)00158-9](https://doi.org/10.1016/S0031-0182(00)00158-9) [Links]
- Otero O, et al. First description of a Pliocene ichthyofauna from Central Africa (site KL2, Kollé area, Eastern Djurab, Chad): What do we learn?. *J Afr Earth Sci* [serial on the Internet]. 2009; 54(3-4):62-74. Available from: <https://doi.org/10.1016/j.jafrearsci.2009.03.004> [Links]
- Parenti LR, Ebach MC. Comparative biogeography. Discovering and classifying biogeographical patterns of a dynamic earth. Berkeley and Los Angeles: University of California Press; 2009. [Links]
- Patterson C. The distribution of Mesozoic freshwater fishes. *Mem Mus Natn Hist Nat Paris*. 1975; 88: 155-74. [Links]
- Patterson C. The contribution of paleontology to teleostean phylogeny. In: Hecht MK, Goody PC, Hecht BM, editors. Major patterns in vertebrate evolution. New York: Plenum Publishing Corporation; 1977. p. 579-643. [Links]
- Patterson C. The development of the North American fish fauna – a problem of historical biogeography. In: Forey PL, editor. Chance, Change and Challenge (vol. 2). The Evolving Biosphere. London: Cambridge University Press. 1981; p. 265-281. [Links]
- Patterson C, Rosen DE. Review of ichthyodectiform and other Mesozoic teleost fishes and the theory and practice of classifying fossils. *Bull Am Mus Nat Hist*. 1977; 158 (2): 81-172. [Links]
- Pouyaud L, Sudarto, Teugels GG. The different colour varieties of the Asian Arowana *Scleropages formosus* (Osteoglossidae) are distinct species: morphologic and genetic evidences. *Cybium*. 2003; 27 (4): 287-305. [Links]
- Pusey BJ, Fisher C, Maclaine J. On the nature of *Scleropages leichardti* Günther, 1864 (Pisces: Osteoglossidae). *Zootaxa* [serial on the Internet]. 2016; 4173(1):75-84. Available from: <https://doi.org/10.11646/zootaxa.4173.1.7> [Links]
- Ree RH, Smith SA. Maximum likelihood inference of geographic range evolution by dispersal, local extinction, and cladogenesis. *Syst Biol* [serial on the Internet]. 2008; 57(1):4-14. Available from: <https://doi.org/10.1080/10635150701883881> [Links]
- Regan CT. The distribution of the fishes of the order Ostariophysi. *Bijdr Dierkd*. 1922; 22 (1): 203-08. [Links]
- Ridewood WG. On the cranial osteology of the fishes of the families Mormyridae, Notopteridae and Hiodontidae. *J Linn Soc* [serial on the Internet]. 1904; 29(190):188-217. Available from: <https://doi.org/10.1111/j.1096-3642.1904.tb00435.x> [Links]
- Ridewood WG. On the cranial osteology of the fishes of the families Osteoglossidae, Pantodontidae, and Phractolaemidae. *J Linn Soc* [serial on the Internet]. 1905; 29 (191): 252-82. Available from: <https://doi.org/10.1111/j.1096-3642.1905.tb00041.x> [Links]

- Roberts TR. Systematic revision of the old world freshwater fish family Notopteridae. *Ichthyol Explor Freshw* . 1992; 2 (4): 361-83. [[Links](#)]
- Roberts TR. *Scleropages inscriptus*, a new fish species from the Tananthayi or Tenasserim River basin, Malay Peninsula of Myanmar (Osteoglossidae: Osteoglossiformes). *Aqua*. 2012; 18 (2): 113-18. [[Links](#)]
- Sanders M. Die fossilen Fische der Alttertiären Süßwasserablagerungen aus mittel-Sumatra. *Verhandel Geol-mijnbouwk Genootsch Nederl Kolon*. 1934; 11: 1-144. (Geologische series). [[Links](#)]
- Santini F, et al. Did genome duplication drive the origin of teleosts? A comparative study of diversification in ray-finned fishes. *BMC Evol Biol* [serial on the Internet]. 2009; 9 (194): 1-15. Available from: <https://doi.org/10.1186/1471-2148-9-194> [[Links](#)]
- Schultze H-P; Arratia G. Reevaluation of the caudal skeleton of some actinopterygian fishes: II. *Hiodon*, *Elops*, and *Albula*. *J Morphol* [serial on the Internet]. 1988; 195 (3): 257-303. Available from: <https://doi.org/10.1002/jmor.1051950304> [[Links](#)]
- Seton M, et al. Global continental and ocean basin reconstructions since 200 Ma. *Earth Sci Rev* [serial on the Internet]. 2012; 113 (3-4): 212-70. Available from: <https://doi.org/10.1016/j.earscirev.2012.03.002> [[Links](#)]
- Shen M. Fossil “osteoglossomorphs” from East Asia and their implications for teleostean phylogeny. In: Arratia G, Viohl G, editors. *Mesozoic Fishes: Systematics and Paleoeology*. München: Verlag Pfeil; 1996. p. 261-272. [[Links](#)]
- Shen X-X, Hittinger CT, Rokas A. Contentious relationships in phylogenomic studies can be driven by a handful of genes. *Nature Ecol Evol* [serial on the Internet]. 2017; 1 (126): 1-10. Available from: <https://doi.org/10.1038/s41559-017-0126> [[Links](#)]
- Snyder DE, Douglas SC. Description and identification of Mooneye, *Hiodon tergisus*, protolarvae. *Trans Am Fish Soc* [serial on the Internet]. 1978; 107 (4): 590-94. Available from: [https://doi.org/10.1577/1548-8659\(1978\)107<590:DAIOMH>2.0.CO;2](https://doi.org/10.1577/1548-8659(1978)107<590:DAIOMH>2.0.CO;2) [[Links](#)]
- Sparks JS, Smith WL. Freshwater fishes, dispersal ability, and nonevidence: “Gondwana Life Rafts” to the rescue. *Syst Biol* [serial on the Internet]. 2005; 54 (1): 158-65. Available from: <https://doi.org/10.1080/10635150590906019> [[Links](#)]
- Stewart DJ. Re-description of *Arapaima agassizii* (Valenciennes), a rare fish from Brazil (Osteoglossomorpha: Osteoglossidae). *Copeia*. 2013a; 2013 (1): 38-51. [[Links](#)]
- Stewart DJ. A new species of *Arapaima* (Osteoglossomorpha: Osteoglossidae) from the Solimoes River, Amazonas State, Brazil. *Copeia*. 2013b; 2013 (3): 470-76. [[Links](#)]
- Stiassny MLJ, Teugels GG, Hopkins CD, editors. *Poissons d’eaux douces et saumâtres de basse Guinée, ouest de l’Afrique centrale*. Vol. 2. Paris: IRD, Publication Scientifique du Muséum, MRAC; 2007. (Faune et Flore Tropicales, 42). [[Links](#)]
- Su D-Z. The discovery of a fossil osteoglossid fish in China. *Vert PalAs* , 1986; 24(1):10-19. [In Chinese with English summary]. [[Links](#)]
- Sullivan JP, et al. AFLPs resolve phylogeny and reveal mitochondrial introgression within a species flock of African electric fish (Mormyroidea: Teleostei). *Evolution* [serial on the Internet]. 2004; 58(4):825-41. Available from: <https://doi.org/10.1111/j.0014-3820.2004.tb00415.x> [[Links](#)]

Sullivan JP, Lavoué S, Hopkins CD. Molecular systematics of the African electric fishes (Mormyroidea: Teleostei) and a model for the evolution of their electric organs. *J Exp Biol* . 2000; 203 (4): 665-83.

[[Links](#)]

Sullivan JP, Lavoué S, Hopkins CD. *Cryptomyrus*: a new genus of Mormyridae (Teleostei, Osteoglossomorpha) with two new species from Gabon, West-Central Africa. *Zookeys* [serial on the Internet]. 2016; 561: 117-50. Available from: <https://doi.org/10.3897/zookeys.561.7137> [[Links](#)]

Sullivan JP, Lavoué S, Hopkins CD. Discovery and phylogenetic analysis of a riverine species flock of African electric fishes (Mormyridae: Teleostei). *Evolution* [serial on the Internet]. 2002; 56 (3): 597-616. Available from: <https://doi.org/10.1111/j.0014-3820.2002.tb01370.x> [[Links](#)]

Taverne L. Le squelette caudal des Mormyriiformes et des Ostéoglossomorphes. *Acad Roy Belg Bull Cl Sc, Sér 5*. 1967; 53 (6): 663-78. [[Links](#)]

Taverne L. Ostéologie du genre *Gnathonemus* Gill *sensu stricto* (*Gnathonemus petersii* (Gthr) et espèces voisines) (Pisces Mormyriiformes). *Ann Musee Roy Afr Centr Sci Zool*. 1968a; 170: 1-44.

[[Links](#)]

Taverne L. Ostéologie du genre *Campylomormyrus* Bleeker (Pisces Mormyriiformes). *Ann Soc Roy Zool Belg*. 1968b; 98 (3): 1-41. [[Links](#)]

Taverne L. Étude ostéologie des genres *Boulengeromyrus* Taverne and Géry, *Genyomyrus* Boulenger, *Petrocephalus* Marcusen (Pisces Mormyriiformes). *Ann Musee Roy Afr Centr Sci Zool*. 1969; 174: 1-85.

[[Links](#)]

Taverne L. Note sur l'ostéologie du genre *Gymnarchus* Cuvier (Pisces Mormyriiformes). *Acad Roy Belg Bull Cl Sci*. 1970; 56(1):63-78. [[Links](#)]

Taverne L. Ostéologie des enres *Marcusenius* Gill, *Hippopotamyrus* Pappenheim, *Cyphomyrus* Myers, *Pollimyrus* Taverne et *Brienomyrus* Taverne (Pisces Mormyriiformes). *Ann Musee Roy Afr Centr Sci Zool* . 1971; 188:1-144. [[Links](#)]

Taverne L. Ostéologie des genres *Mormyrus* Linné, *Mormyrops* Müller, *Hyperopisus* Gill, *Myomyrus* Boulenger, *Stomatorhinus* Boulenger et *Gymnarchus* Cuvier. Considérations générales sur la systématique des Poissons de l'ordre des Mormyriiformes. *Ann Musee Roy Afr Centr Sci Zool* . 1972; 200:1-194. [[Links](#)]

Taverne L. Ostéologie, phylogénèse et systématique des téléostéens fossiles et actuels du super-ordre des Ostéoglossomorphes: Ostéologie des genres *Hiodon*, *Eohiodon*, *Lycoptera*, *Osteoglossum*, *Scleropages*, *Heterotiset* *Arapaima*. *Acad Roy Belg Mém Cl Sci Coll*. 1977; 42 (3): 1-235. (Collection 8, Serie 2). [[Links](#)]

Taverne L. Ostéologie, phylogénèse, et systématique des téléostéens fossiles et actuels du super-ordre des ostéoglossomorphes, deuxième partie. Ostéologie des genres *Phareodus*, *Phareoides*, *Brychaetus*, *Musperia*, *Pantodon*, *Singida*, *Notopterus*, *Xenomystus* et *Papyrocranus*. *Acad Roy Belg Mém Cl Sci*. 1978; 42 (6): 1-213. (Collection 8, Serie 2). [[Links](#)]

Taverne L. Ostéologie, phylogénèse et systématique des téléostéens fossiles et actuels du super ordre des Ostéoglossomorphes. Troisième partie. Evolution des structures ostéologiques et conclusions générales relatives à la phylogénèse et à la systématique du super ordre. *Acad Roy Belg Mém Cl Sci*. 1979; 43 (3): 1-168. (Collection 8, Serie 2) [[Links](#)]

Taverne L. Les Ostéoglossomorphes marins de l'Eocène du Monte Bolca (Italie): *Monopteros* Volta 1796, *Thrissopterus* Heckel, 1856 et *Foreyichthys* Taverne, 1979. Considérations sur la phylogénie des Téléostéens ostéoglossomorphes. Stud Ric Giacimenti Terziari Bolca. 1998; 7: 67-158. [[Links](#)]

Taverne L. *Ridewoodichthys*, a new genus for *Brychaetus caheni* from the marine Paleocene of Cabinda (Africa): Re-description and comments on its relationships within the Osteoglossidae (Teleostei, Osteoglossomorpha). Bull Inst R Sci Nat Belg Sci Terre. 2009a; 79: 147-53 [[Links](#)]

Taverne L. New insights on the osteology and taxonomy of the osteoglossid fishes *Phareodus*, *Brychaetus* and *Musperia* (Teleostei, Osteoglossomorpha). Bull Inst R Sci Nat Belg Sci Terre . 2009b; 79: 175-90. [[Links](#)]

Taverne L. On the presence of the osteoglossid genus *Scleropages* in the Paleocene of Niger, Africa (Teleostei, Osteoglossomorpha). Bull Inst R Sci Nat Belg Sci Terre . 2009c; 79: 161-67. [[Links](#)]

Taverne L, Kumar K, Rana RS. Complement to the study of the Indian Paleocene osteoglossid fish genus *Taverneichthys* (Teleostei, Osteoglossomorpha). Bull Inst R Sci Nat Belg Sci Terre . 2009; 79: 155-60. [[Links](#)]

Taverne L, Maisey JG. A notopterid skull (Teleostei, Osteoglossomorpha) from the continental early Cretaceous of southern Morocco. Am Mus Novit. 1999; 3260: 1-12. [[Links](#)]

Taverne L, Nolf D, Folie A. On the presence of the osteoglossid fish genus *Scleropages* (Teleostei, Osteoglossiformes) in the continental Paleocene of Hainin (Mons Basin, Belgium). Belg J Zool . 2007; 137 (1): 89-97. [[Links](#)]

Torsvik TH, Amundsen H, Hartz EH, Corfu F, Kuznir N, Gaina C, Doubrovine PV, Steinberger B, Ashwal LD, Jamtveit B. A Precambrian microcontinent in the Indian Ocean. Nat Geosci [serial on the Internet]. 2013; 6: 223-27. Available from: <https://doi.org/10.1038/NGEO1736> [[Links](#)]

Tse TK, Pittman M, Chang M-M. A specimen of *Paralycoptera* Chang & Chou 1977 (Teleostei: Osteoglossoidae) from Hong Kong (China) with a potential Late Jurassic age that extends the temporal and geographical range of the genus. PeerJ [serial on the Internet]. 2015; 3: e865. Available from: <https://doi.org/10.7717/peerj.865> [[Links](#)]

Van der Bank FH, Kramer B. Phylogenetic relationships between eight African species of mormyrid fish (Teleostei, Osteichthyes): resolution of a cryptic species and reinstatement of *Cyphomyrus* Myers, 1960. Biochem Syst Ecol [serial on the Internet]. 1996; 24 (4): 275-90. Available from: [https://doi.org/10.1016/0305-1978\(96\)00026-9](https://doi.org/10.1016/0305-1978(96)00026-9) [[Links](#)]

Van der Laan R, Eschmeyer WN, Fricke R. Family-group names of Recent fishes. Zootaxa [serial on the Internet]. 2014; 3882:1-230. Available from: <https://doi.org/10.11646/zootaxa.3882.1.1> [[Links](#)]

Verba JT, et al. Mice on menu: opportunistic feeding behavior of the Amazonian silver arowana *Osteoglossum bicirrhosum*. J Fish Biol . Forthcoming 2018. [[Links](#)]

Vérard C, et al. The Indian promontory: A bridge between plate tectonics and life evolution models. Univers J Geosci [serial on the Internet]. 2017; 5(2):25-32. Available from: <https://doi.org/10.13189/ujg.2017.050202> [[Links](#)]

Verma O, et al. Historical biogeography of the Late Cretaceous vertebrates of India: Comparison of geophysical and paleontological data. In: Khosla A, Lucas SG, editors. Cretaceous Period: biotic diversity and biogeography. Albuquerque: New Mexico Museum of Natural History and Science; 2016. p. 317-330. (Bulletin, 71). [[Links](#)]

- Vialle RA, et al. Whole genome sequencing of the Pirarucu (*Arapaima gigas*) supports independent emergence of major teleost clades. *Genome Biol Evol* [serial on the Internet]. 2018; evy130. Available from: <https://doi.org/10.1093/gbe/evy130> [Links]
- Vitorino CA, et al. Low genetic diversity and structuring of the *Arapaima*(Osteoglossiformes, Arapaimidae) population of the Araguaia-Tocantins Basin. *Front Genet* [serial on the Internet]. 2017; 8 (159): 1-10. Available from: <https://doi.org/10.3389/fgene.2017.00159> [Links]
- Wallus R. Larval development of *Hiodon tergisus* Lesueur with comparisons to *Hiodon alosoides* (Rafinesque). *J Tenn Acad Sci*. 1986; 61 (3): 77-80. [Links]
- Watson LC, Stewart DJ, Kretzer AM. Genetic diversity and population structure of the threatened giant *Arapaima* in southwestern Guyana: implications for their conservation. *Copeia* . 2013; 104 (4): 864-72. [Links]
- Wegener A. Die Entstehung der Kontinente und Ozeane. Braunschweig: F. Vieweg; 1915. [Links]
- Wilson MVH, Murray AM. Osteoglossomorpha: phylogeny, biogeography, and fossil record and the significance of key African and Chinese fossil taxa. In: Cavin L, Longbottom A, Richter M, editors. *Fishes and the Break-up of Pangea* . London: Geological Society; 2008. p. 185-219. (Special Publications; 295). [Links]
- Xu GH, Chang MM. Redescription of *Paralycoptera wui* Chang & Chou, 1977 (Teleostei: Osteoglossidae) from the Early Cretaceous of eastern China. *Zool J Linn Soc* [serial on the Internet]. 2009; 157(1):83-106. Available from: <https://doi.org/10.1111/j.1096-3642.2009.00532.x> [Links]
- Yabumoto Y. *Kokuraichthys tokuriki* n. gen. and sp., Early Cretaceous osteoglossomorph fish in Kyushu, Japan. *Bull Kitakyushu Mus Nat Hist Human Hist*. 2013; 11: 67-72. (serie A). [Links]
- Yue GH, Chen F, Orban L. Rapid isolation and characterization of microsatellites from the genome of Asian arowana (*Scleropages formosus*, Osteoglossidae, Pisces). *Mol Ecol* [serial on the Internet]. 2000; 9 (7): 1007-09. Available from: <https://doi.org/10.1046/j.1365-294x.2000.00939-10.x> [Links]
- Yue GH, et al. A strain-specific and a sex-associated STS marker for Asian arowana (*Scleropages formosus*, Osteoglossidae). *Aquac Res* [serial on the Internet]. 2003; 34(11):951-57. Available from: <https://doi.org/10.1046/j.1365-2109.2003.00949.x> [Links]
- Yue GH, et al. Novel polymorphic microsatellites for studying genetic diversity of red Asian arowanas. *Conserv Genet* [serial on the Internet]. 2006; 7(4):627-29. Available from: <https://doi.org/10.1007/s10592-005-9061-1> [Links]
- Zhang J-Y. Morphology and phylogenetic relationships of *Kuntulunia* (Teleostei: Osteoglossomorpha). *J Vertebr Paleontol* [serial on the Internet]. 1998; 18 (2): 280-300. Available from: <https://doi.org/10.1080/02724634.1998.10011057> [Links]
- Zhang J-Y. Phylogeny of Osteoglossomorpha. *Vert PalAs*. 2006; 44(1):43-59. [Links]
- Zhang J-Y, Jin F. A revision of *Tongxinichthys* MA 1980 (Teleostei: Osteoglossomorpha) from the Lower Cretaceous of northern China. In: Arratia G, Schultze H-P, editors. *Mesozoic Fishes 2: Systematics and Fossil Record*. München: Verlag Dr. Friedrich Pfeil ; 1999. p. 385-396. [Links]
- Zhang J-Y, Wilson MVH. First complete fossil *Scleropages* (Osteoglossomorpha). *Vert PalAs*. 2017; 55 (1): 1-23. [Links]