

Simonová J.: Vzduchem bez křídel – šíření organismů prostřednictvím ptáků

(Živa 2024, 5: 290–293)

Seznam literatury

- Anders, N. R., Churchyard, T., & Hiddink, J. G. (2009). Predation of the shelduck *Tadorna tadorna* on the mud snail *Hydrobia ulvae*. *Aquatic Ecology*. <https://doi.org/10.1007/s10452-008-9216-5>
- Bucher, E. H., & Bocco, P. J. (2009). Reassessing the importance of granivorous pigeons as massive, long-distance seed dispersers. *Ecology*, 90(8), 2321–2327. <https://doi.org/10.1890/08-2077.1>
- Cadée, G. C. (2011). *Hydrobia* as “Jonah in the whale”: Shell repair after passing through the digestive tract of shelducks alive. *Palaios*, 26(4), 245–249. <https://doi.org/10.2110/palo.2010.p10-095r>
- Dundee, D. S., Phillips, P. H., & Newsom, J. D. (1967). Snails on migratory birds. *Nautilus*, 80(3), 89–91.
- Gass, J. D., Dusek, R. J., Hall, J. S., Hallgrímsson, G. T., Halldórsson, H. P., Vignisson, S. R., Ragnarsdóttir, S. B., Jónsson, J. E., Krauss, S., Wong, S., Wan, X., Akter, S., Sreevatsan, S., Trovão, N. S., Nutter, F. B., Runstadler, J. A., & Hill, N. J. (2023). Global dissemination of influenza A virus is driven by wild bird migration through arctic and subarctic zones. *Molecular Ecology*, 32(1), 198–213. <https://doi.org/10.1111/mec.16738>
- Gosper, C. R., & Vivian-Smith, G. (2009). Approaches to selecting native plant replacements for fleshy-fruited invasive species. *Restoration Ecology*, 17(2), 196–204
- Green, A. J., & Figuerola, J. (2005). Recent advances in the study of long-distance dispersal of aquatic invertebrates via birds. *Diversity and Distributions*, 11, 149–156. <https://doi.org/10.1111/j.1366-9516.2005.00147.x>
- Green, A. J., Lovas-Kiss, Á., Reynolds, C., Sebastián-González, E., Silva, G. G., van Leeuwen, C. H. A., & Wilkinson, D. M. (2023). Dispersal of aquatic and terrestrial organisms by waterbirds: A review of current knowledge and future priorities. *Freshwater Biology*, 68(2), 173–190. <https://doi.org/10.1111/fwb.14038>
- Guix, J. C., & Ruiz, X. (1997). Weevil larvae dispersal by guans in Southeastern Brazil. *Biotropica*, 29(4), 522–525. <https://doi.org/10.1111/j.1744-7429.1997.tb00047.x>
- Hernández, Á. (2011). Internal dispersal of seed-inhabiting insects by vertebrate frugivores: A review and prospects. In *Integrative Zoology* (Vol. 6, Issue 3, pp. 213–221). <https://doi.org/10.1111/j.1749-4877.2011.00245.x>
- Chen, Z., Guo, Y., Yang, J., Jia, G. E., Lianyi, L. I., & Chen, G. (2021). Frugivorous birds disperse seeds of *Ligustrum lucidum*, seed-feeding weevils, and parasitic wasps of weevils via endozoochory. In *Integrative Zoology*. John Wiley and Sons Inc. <https://doi.org/10.1111/1749-4877.12606>
- Laux, J. & Kölsch, G. (2014). Potential for passive internal dispersal: eggs of an aquatic leaf beetle survive passage through the digestive system of mallards. *Ecological Entomology*, 39(3), 391–394. <https://doi.org/10.1111/een.12097>
- Lewis, L. R., Behling, E., Gousse, H., Qian, E., Elphick, C. S., Lamarre, J.-F., Béty, J., Liebezeit, J., Rozzi, R., & Goffinet, B. (2014). First evidence of bryophyte diaspores in the plumage of transequatorial migrant birds. *PeerJ*, 2, e424. <https://doi.org/10.7717/peerj.424>

Literáková, Z. (2013). *Taxonomie a biologie roztočů přenášených mezi květy kolibříky v neotropické oblasti (Acari: Mesostigmata: Ascidae/Melicharidae)*. Masarykova univerzita, Brno. Bakalářská práce.

Lovas-Kiss, Á., Sánchez, M. I., Wilkinson, D. M., Coughlan, N. E., Alves, J. A., & Green, A. J. (2019). Shorebirds as important vectors for plant dispersal in Europe. *Ecography*, 42(5), 956–967. <https://doi.org/10.1111/ECOG.04065>

Lovas-Kiss, Á., Vincze, O., Kleyheeg, E., Sramkó, G., Laczkó, L., Fekete, R., Molnár V., A., & Green, A. J. (2020). Seed mass, hardness, and phylogeny explain the potential for endozoochory by granivorous waterbirds. *Ecology and Evolution*. <https://doi.org/10.1002/ece3.5997>

Malone, C. R. (1965). *Dispersal of fresh-water gastropods by water birds*. Texas Technological College. Master thesis.

McAtee, W. L. (1914). Birds transporting food supplies. *The Auk*, 31(3), 404–405.

Miura, O., Torchin, M. E., Bermingham, E., Jacobs, D. K., & Hechinger, R. F. (2012). Flying shells: Historical dispersal of marine snails across Central America. *Proceedings of the Royal Society B: Biological Sciences*, 279(1731), 1061–1067. <https://doi.org/10.1098/rspb.2011.1599>

Navarro-Ramos, M. J., Green, A. J., Lovas-Kiss, A., Roman, J., Brides, K., & van Leeuwen, C. H. A. (2022). A predatory waterbird as a vector of plant seeds and aquatic invertebrates. *Freshwater Biology*, 67(4), 657–671. <https://doi.org/10.1111/fwb.13870>

Orłowski, G., Czarnecka, J., Goławski, A., Karg, J., & Panek, M. (2016). The effectiveness of endozoochory in three avian seed predators. *Journal of Ornithology*, 157(1), 61–73. <https://doi.org/10.1007/s10336-015-1248-8>

Proctor, V. W., Malone, C. R., & DeVlaming, V. L. (1967). Dispersal of aquatic organisms: viability of disseminules recovered from the intestinal tract of captive killdeer. *Ecology*, 48(4), 672–676. <https://doi.org/10.2307/1936517>

Reid, N. (1991). Coevolution of mistletoes and frugivorous birds? *Australian Journal of Ecology*, 16(4), 457–469. <https://doi.org/10.1111/j.1442-9993.1991.tb01075.x>

Saito, T., Tatani, M., Odaya, Y., & Chiba, S. (2023). Direct evidence for intercontinental dispersal of a snail via a bird. *Ecography*, 2023(10). <https://doi.org/10.1111/ecog.06771>

Simonová, J., Simon, O. P., Kapic, Š., Nehasil, L., & Horská, M. (2016). Medium-sized forest snails survive passage through birds' digestive tract and adhere strongly to birds' legs: More evidence for passive dispersal mechanisms. *Journal of Molluscan Studies*, 82(3). <https://doi.org/10.1093/mollus/eyw005>

Sousa, W. P. (1993). Size-dependent predation on the salt-marsh snail *Cerithidea californica* Haldeman. *Journal of Experimental Marine Biology and Ecology*, 166, 19–37. [https://doi.org/10.1016/0022-0981\(93\)90076-Z](https://doi.org/10.1016/0022-0981(93)90076-Z)

Suetsugu, K., Funaki, S., Takahashi, A., Ito, K., & Yokoyama, T. (2018). Potential role of bird predation in the dispersal of otherwise flightless stick insects. *Ecology*, 99(6), 1504–1506. <https://doi.org/10.1002/ecy.2230>

- Szabó, B., Szabó, A., Vad, C. F., Boros, E., Lukić, D., Ptacnik, R., Márton, Z., & Horváth, Z. (2022). Microbial stowaways: Waterbirds as dispersal vectors of aquatic pro- and microeukaryotic communities. *Journal of Biogeography*, 49(7), 1286–1298. <https://doi.org/10.1111/jbi.14381>
- Traveset, A., Robertson, A. W., & Rodríguez-Pérez, J. (2007). A review on the role of endozoochory in seed germination. In A. J. Dennis, E. W. Schupp, R. J. Green, & D. A. Westcott (Eds.), *Seed dispersal: theory and its application in a changing world* (pp. 78–103). CABI. <https://doi.org/10.1079/9781845931650.0078>
- van Leeuwen, C. H. A. ;, Tollenaar, M. L. ;, & Klaassen, M. (2012). Vector activity and propagule size affect dispersal potential by vertebrates. *Oecologia*, 107, 101–109. <https://doi.org/https://doi.org/10.1007/s00442-012-2293-0>
- van Leeuwen, C. H. A., Lovas-Kiss, Á., Ovegård, M., & Green, A. J. (2017). Great cormorants reveal overlooked secondary dispersal of plants and invertebrates by piscivorous waterbirds. *Biology Letters*, 13(10), 10–14. <https://doi.org/10.1098/rsbl.2017.0406>
- van Leeuwen, C. H. A., van der Velde, G., van Groenendaal, J. M., & Klaassen, M. (2012a). Gut travellers: Internal dispersal of aquatic organisms by waterfowl. *Journal of Biogeography*. <https://doi.org/10.1111/jbi.12004>
- van Leeuwen, C. H. A., van der Velde, G., van Lith, B., & Klaassen, M. (2012b). Experimental quantification of long distance dispersal potential of aquatic snails in the gut of migratory birds. *PLoS ONE*, 7(3), e32292. <https://doi.org/10.1371/journal.pone.0032292>
- van Ommeren, R. J., & Whitham, T. G. (2002). Changes in interactions between juniper and mistletoe mediated by shared avian frugivores: parasitism to potential mutualism. *Oecologia*, 130(2), 281–288. <https://doi.org/10.1007/s004420100792>
- Wada, S., Kawakami, K., & Chiba, S. (2012). Snails can survive passage through a bird's digestive system. *Journal of Biogeography*, 39, 69–73. <https://doi.org/10.1111/j.1365-2699.2011.02559.x>
- Williams, P. A., Kean, J. M., & Buxton, R. P. (2010). Multiple factors determine the rate of increase of an invading non-native tree in New Zealand. *Biological Invasions*, 12(5), 1377–1388. <https://doi.org/10.1007/s10530-009-9554-9>